

Cloud Based Smart Security Platform

SECU365 DESIGNED FOR Residential | Commercial



Secu365 For Residential

One unified security platform

A seamless integration of access control, video, sensors and intercom in one intuitive interface.

Your body is your ID

With the latest biometric technologies such as fingerprint and facial recognition, no matter the residents, tenants or the property managers, you can easily access your own private house or any common spaces like the pool, gym, lounge and more all without carrying a traditional set of keys.

Web and App flexible management


Secu365 uses flexible deployment, you can use both the local web browser and remote mobile APP to manage the system.


Your home on your phone

Residents can manage their entire smart home with Secu365 app. They can use this unified platform to check in anytime, and easily control everything from anywhere.



System Architecture





Main Entrance








FHD IP Camera

Face Intercom

The face intercom and IP cameras will protect all entrance and public area, and all the residents, tenants and visitors can be managed and protected by Secu365.

Residential Areas



Each private resident's house can be proteced easily by the smart locks which link with the FHD IP cameras.



Web Browser Access to system by any local PC

Mobile App Remote access to system by any mobile app.

For Residents

Residents can get instant notification when anyone entry and can also open the door for them remotely.

When you go home



17:14:30 Andr

When you get back to the apartment



When you get back to the building





For Visitors

Visitors can realize one click call to mobile and the property management people or the residents can remote open the door for their own visitors.



For Property Company

Property company can manage every door digitally from a powerful web-based access platform.





E-map One view for all secu spots


Event center

Control all emergency events

In Property Management Center, Secu365 will be shown on Web, and all the smart terminals in the main entrance, public areas, entrance of the buildings will be managed and displayed on the web, the management team can easily control all the safety issue, including person detection alerts, visitor video calls, normal residents entry records, etc.

Video Protection

The outdoor areas will be proteced by the FHD cameras and the property company can easily get live view anytime and also will not miss any emergency alert for person detection event.



Secu365 Boxes



Professional

Secu365 Box-Professional is a powerful, web-based central controller to manage and link all smart edge terminals. The highly salable system supports over 32 secu spots and up to 64 terminals. it can be managed by a local web-server or by the App through link to cloud.



Standard

Secu365 Box-Standard is designed for private home and small areas which supports up to 32 termials. it can be connected to a router by the LAN or Wi-Fi and easily operate through the mobile app.



Essential

Secu365 Box-Essential is a easily, light edge controller designed for private home and small areas which supports up to 16 termials. it can be connected to a router by the LAN and easily operate through the mobile app.

4xPoE IEEE802.3af

100K Text Logs 20K Video Clips 64 Terminals LAN/Wi-Fi/Sub 1G 50K Text Logs 20K Video Clips 32 Terminals LAN/Sub1G 50K Text Logs 20K Video Clips 16 Terminals

Face Intercom

M8

Face Intercom-M8 unit ensures a less than 0.5 second quick recognition time and one click remote calling. You can remotely grant for your visitors easy entry through the App.



Live Face Recognition high security access control

IP65 Waterproof outdoor solution

HD Wide Angle Camera view more entry details

Calls to Mobile Never missing any events



Smart lock Combo -365

Smart lock-Combo has Bluetooth and wireless network communication functions and the installation convenience. The long battery life and high security biometric fingerprint identification provides the perfect wireless and wiring-free access control solution.

500 Users Fingerprint identification

8,000 Times

Wireless Easy to install



Gateway(optional)



FHD IP Camera EasyView

FHD IP camera-EasyView can generate PoE communication, long distance IR detection. Also can generate person detection and motion detection, let your site under 24/7/365 live protection.



Person Detection

Night Vision

PoE IEEE802.3af

1080P Full High Definition



More in Roadmap







AroundView

JustView

HiView



Secu365 Versions



Secu365 Box	Essential	Standard	Profressional
Capacity			
Terminals	≤16	≤32	32< Pro ≤ 128
Max. Users	500	3,000	10,000
Max. Logs(Text)	50,000	50,000	100,000
Max. Video Clips	20,000	20,000	20,000
Interface			
BlueTooth	\checkmark	\checkmark	\checkmark
SUB-1G	\checkmark	\checkmark	☆
TCP/IP	\checkmark	\checkmark	\checkmark
PoE	_	-	\checkmark
WIFI	_	☆	-
LTE/4G	—	☆	_
Hardware			
Remote Controller	_	\checkmark	-
I/O	_	_	2 Inputs
Key Button(Alarm/Disalarm)	—	\checkmark	_
LED Screen	—	_	2.25 ["] LED
Siren	_	\checkmark	-
LED Indicator	\checkmark	\checkmark	-
Key Button(Reset)	\checkmark	\checkmark	\checkmark
Terminals(Recommended)			
Smart Lock (UL1-365/Combo-365)	மீ	மீ	மீ
Door/Window Sensor	ഥ്	ഥ	ഥ്
Face Intercom(M8)	ഥ്	ഫ്	ഥ്
Gateway (Sub-1G)	ഥ്	ഥ	ഥ്
Reader (C2 Slim / C2 KS)	☆	☆	மீ
Camera (EasyView / JustView)	☆	☆	மீ
Anviz NVR	_	-	மீ
Other 3rd-Parties Integration	-	-	மீ

🗸 Standard

☆ Optional — N/A

🖒 Recommended

Secu365 Box-Professional

Secu365 Box-Standard

Secu365 Box-Essential



- Dual core 1.0G CPU and embedded Linux system
- TCP/IP, Optional Sub 1G
- 4 ports PoE output (IEEE802.3af 12.95W) Up to 10,000 users Up to 20,000 videos clips Up to 100,000 text logs
- In-build Web server
- \cdot Up to 64 terminals connection
- Power input DC48V 1.5A
- Working temperature: -10°C to 55°C
- Working humidity: 10% to 90%



- \cdot Dual core 1.0G CPU and embedded Linux system
- TCP/IP, Wi-Fi (Optional Sub IG) Up to 3,000 users Up to 20,000 videos clips Up to 50,000 text logs
- \cdot In-build Web server
- \cdot Up to 32 terminals connection
- Power input DC12V 1.5A
- Working temperature: -10°C to 55°C
- Working humidity: 10% to 90%



- \cdot Dual core 1.0G CPU and embedded Linux system
- TCP/IP & Sub 1G Up to 500 users
- Up to 20,000 videos clips
- Up to 50,000 text logs
- In-build Web server
- \cdot Up to 16 terminals connection
- Power input DC12V 1.5A
- \cdot Working temperature: -10°C to 55°C
- Working humidity: 10% to 90%

EasyView



- 2M Pixel Full HD
- · 1/2.7" CMOS 4mm/F1.2 lens
- H.265+, smart stream
- ·0.01Lux, 30fps (1920×1080, 704×576),
- 25m IR, IR Shield Cover
- \cdot BLC, DWDR
- \cdot Motion Detection, Person Detection
- · PoE/DC12V

Combo-365(Optional Gateway)



Sub 1G (gateway required)

- Max 500 users
- Hardware type: Latch (Optional Deadbolt)
- · Working voltage: 3V (2 x Alkaline AA batteries)
- Working temperature: Outside lock body: -4 °F (-20 °C) to 149 °F (65 °C)
- Inside lock body: 14 °F (-10 °C) to 131 °F (55 °C) • Reversible handle
- Up to I year (8000 times access) battery lifetime



- · 3,000 Users, 3,000 Cards, 100,000 Records
- \cdot Face Identification
- Energy Saving Auto Wake/Sleep
- Voice and LED Prompt
- 4.3" HD TFT Touch Screen
- USB host

M8

- WiFi, TCP/IP, POE Connectivity
- \cdot Relay Out, Wiegand Out
- Webserver



Inspiring Everyday

@2020 Anviz Global Inc. All right reserved Product specifications and availability are subject to change without notice. Fot the most up-to-date information, pls visit www.secu365.com