

OC580 Professional RFID Card Time Attendance & Access Control



Linux



Dual-Core
1GHz Processor



CrossChex

Functional Parameter

Capacity	Max User	10,000
	Max Log	200,000
Interface	Comm.	PoE-TCP/IP, USB Host, Mini USB, RS485 Standard WiFi, Optional 3G
	Relay	1 Relay
	I/O	Wiegand In&Out, Door Open Sensor, Tamper Alarm, Exit Button
Feature	Identification Mode	Card, Password
	Verification Speed	<0.5 Sec
	Self-defined Status	8 attendance status auto switch
	Webserver	Internal Webserver
	Software	Anviz Crosschex Cloud
Hardware	Platform	Linux
	CPU	Dual 1.0 GHz High Speed CPU
	Flash	8Gb
	LCD	3.2" HD TFT LCD
	LED	Three-color indicator light
	RFID Card	Standard 125KHz EM, Optional 13.56MHz Mifare
	Dimensions	125x189x35mm(4.9x7.4x1.4")
	Operating Temperature	-30°C to 60°C
	Humidity Verification	10% to 90%
	Power	DC 12V
	Certificates	CE, FCC, RoHS

Features

- ▶ Linux platform & Dual 1.0GHz CPU to provide a safe and stable performance
- ▶ Comparison time less than 0.5s
- ▶ Ergonomic design with new keypad provides a better user experience
- ▶ Standard WiFi, Optional 3G
- ▶ Provide relay output for standalone Access Control
- ▶ Support Wiegand, RS485 and USB-host extended communication
- ▶ HD and brighter 3.2 inch color display
- ▶ Ease the experience of user by brand new UI design
- ▶ PoE(Power Over Ethernet) fast & easy installation

Cloud Management System



Advantages

- No need to install, maintain, or upgrade software
- No expensive computers to purchase or maintain
- Access data in real-time from any PC and Mobile with Internet
- Receive real-time alerts to your email
- Multiple encryptions and redundancy backup for data safety.



Please scan this QR code to
get CrossChex Cloud App