



FacePass Pro

User Manual

(V1.2)

© 2001-2015 Anviz Global Inc.

PREFACE

Honorable customers:

Thank you for choosing products from Anviz Global. Our products contain world cutting edge technologies like Fingerprint/card recognition, Computer Communication, as well as Microelectronics. With the combination of three technologies: Electronics, Optics, and Computer Communication; Anviz Global has become the first choice for standalone time & attendance products for enterprises with its strong functions and veracity. Please read this user manual carefully to obtain an initial understanding of the functions and basic knowledge of installation, debugging, maintenance, application, and management to better use this product.

Utilizing the latest biometric technology, this product will bring you a unprecedented reliability, convenience, and benefits.

Software Operation flowchart

This software includes: System Parameter, Department Management, Employee Maintenance, Shift Management, Employee Leave, and Statistical Report etc. This software will also show how to use this system in the correct way. It is not enough to only understand the function of each module, but to know the relation between them and the system operation flowchart. Thus, you can get the correct report.

Employee Software operation flowchart is as following.



- When running the software for the first time, please set parameters including company name, time attendance rule, statistic rule for early, late, and overtime etc. Make sure the system parameter is complied with the enterprise management requirement .When finishing the parameters configuration; you do not need to modify the configuration unless the management rules change.
- 2. Normally there are many departments in one company and all departments need to be input manually unlike importing the employee list directly. Department setup should be completed before employee maintenance.
- 3. When running the software for the first time, please put the employee information in Text file (*. txt) or MS Excel file (*.xls) format according to the requested format. For the requested

employee information format, please refer to the chapter [Import employee List] so that all employee information can be imported to the system at one time. Employees can be added, deleted, modified and transferred to new department in the future.

- 4. According to different company work conditions, please edit the timetable (the period from on-duty time to off-duty time) ahead and then set shifts.
- 5. After the shift setup, you must allocate the shift to employee. Each employee can only have one shift each day. Please note the beginning date of the shift. After shift allocation, we can see the arranged working date and time for employee clearly.
- Attendance records are stored in the time attendance device. So please download the records from the device before report calculation. In addition, employee information and fingerprint templates can be uploaded and downloaded between the device and the software. Please refer to Chapter 4 for more information.
- 7. If the employee has to leave for personal reasons, or for business, or maybe forgot to clock in or out, please deal with it in time in the software to ensure the accuracy of the statistic report.
- After all the above mentioned operations are finished, you can calculate and get the report.
 You can get different statistic reports, such as the report of all employees, the report of some department employees, and the report of a certain time period.

In the software [Attendance Calculating and Report] interface, please select department /employee and the beginning /ending date first, then press [Calculate]. The software will automatically search and check the validity of the records. There may be some invalid records stored in the device, such as one employee may press his finger twice one time. Normally one of the records will be regarded as invalid. If there is any error in the software calculation, the administrator can modify the records manually to ensure the accuracy of the result.

Note: From the above flowchart, we can see that if there is any error in calculation report, the possible reasons are as following,

- Attendance rules setup is incorrect.
- Employee shift or temporary shift is incorrect.
- Dealing with employee business leave/personal leave/forgot clock in/out is incorrect.
- Attendance records calculating and checking is incorrect.

CONTENTS

1.	Product Ov		verview	
	1.1.		Product Description	1
	1.2.		Product Features	1
	1.3.		Packing List	2
	1.4.		Terminal Parameters	3
	1.5.		Installation Environment Requirements	4
	1.6.		How to Use Enterprise Face Access System	6
2.	Teri	minal (Operation	8
	2.1.		Main Manage Interface	8
	2.2.		User Management	8
		2.2.1	User Enroll	8
		2.2.2	. Modify User	13
		2.2.3	. Delete User	14
		2.2.4	User Recognition	14
	2.3.		Communication Setting	18
		2.3.1	Network Setting	18
		2.3.2	USB Manage Setting	19
	2.4.		System Setting	21
		2.4.1	. Option	22
		2.4.2	. Admin	25
		2.4.3	. Time	26
		2.4.4	Advanced	26
		2.4.5	. Info	29
3.	We	bserve	er Software Instruction	30
	3.1.		Home Page	30
	3.2.		Option	30
	3.3.		Network Setting	32
	3.4.		User Management	32
	3.5.		Time Attendance	33
	3.6.		Holiday Management	34
	3.7.		Identification Record	35



	3.7.1.	Maintain Identification Record	
	3.7.2.	Identification Record query	
3.8.	А	ttendance Record	
	3.8.1.	Personal Attendence Roport	
	3.8.2.	Daily Attendance Report	
	3.8.3.	Monthly Attendance Record	
Bac	kground	I Management	
4.1.	L	og in System	
4.2.	S	System	
	4.2.1.	Parameters Settings	
	4.2.2.	Administrators	
	4.2.3.	Administrator's Password Set	
	4.2.4.	Modified Record Log	
	4.2.5.	Managing Log	
	4.2.6.	Set Database Link	
	4.2.7.	Exit System	
4.3.	Н	IR Management	
	4.3.1.	Department Management	
	4.3.2.	Employees Maintenance	
4.4.	A	ttendance Management	
	4.4.1.	Holiday List	
	4.4.2.	Timetable and Shift	
	4.4.3.	Employee Scheduling	
	4.4.4.	Attendance Records	
	4.4.5.	Attendance Calculating and Report	
4.5.	D	Deal with Exceptions	
	4.5.1.	Away on Business/ Leave	
	4.5.2.	Append Record	
	4.5.3.	Append Record Collectively	
	4.5.4.	Dealing with Collectively Late / Leaving	
4.6.	D	Data Maintenance	
	4.6.1.	Import Employee List	
	4.6.2.	Import Attendance Record	
	Bac 4.1. 4.2. 4.3. 4.4.	3.7.2. 3.8. 3.8.1. 3.8.2. 3.8.3. Background 4.1. 4.2. 4.2.1. 4.2.2. 4.2.3. 4.2.4. 4.2.5. 4.2.6. 4.2.7. 4.3.1. 4.2.7. 4.3.1. 4.3.1. 4.3.1. 4.3.2. 4.4. 4.4.3. 4.4.4. 4.4.5. 4.4.5. 4.5.1. 4.5.1. 4.5.4. 4.5.1. 4.5.2. 4.5.3. 4.5.4. 3.5.4. 3.5.4. 3.5.4. 4.5.4. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5	3.7.2. Identification Record query

		4.6.3.	Clear Obsolete Data	65
		4.6.4.	Compress Database	66
		4.6.5.	Backup Database	66
		4.6.6.	Initialize System	66
	4.7.	D	evice Management	
		4.7.1.	Connect to Communication Management Software	66
5.	Dat	a Comm	unication	
	5.1.	Т	&A Machine Management	
		5.1.1.	Add Unit	68
		5.1.2.	Modify Unit	70
		5.1.3.	Delete Unit	70
		5.1.4.	Right Key Menu	70
		5.1.5.	Synchronize Time	71
		5.1.6.	Terminal Parameter Settings	71
		5.1.7.	Download New Record	72
		5.1.8.	Download All Record	73
		5.1.9.	Backup Employees	73
		5.1.10.	Resume Employees	74
	5.2.	R	ecord Supervision	74
		5.2.1.	Activate Real-time	75
		5.2.2.	Prohibit real-time	75
	5.3.	E	mployees Management	
		5.3.1.	Add Employee	76
		5.3.2.	Modify Employee	78
		5.3.3.	Delete Employee	78
		5.3.4.	Transfer Department	78
		5.3.5.	Set Privilege	79
		5.3.6.	Copy Privilege	79
		5.3.7.	Download Template	80
		5.3.8.	Upload User Template	
		5.3.9.	Delete from Unit	
		5.3.10.	Checking Employee	81
		5.3.11.	Department Management	81
				VII

	5.4.	Red	cord Management	83
		5.4.1.	Record Search	83
		5.4.2 Exp	ort Record	83
	5.5.	UD	Disk Management Program	84
	5.6.	Sys	stem Settings	85
		5.6.1.	Basic Parameter Settings	85
		5.6.2.	T&A Status Setting	86
		5.6.3.	Timing Downloading Record	
		5.6.4.	Management PW Setting	87
		5.6.5.	Database Linking Setting	87
		5.6.6.	Exit System	88
	5.7.	Use	er Interface Configuration	88
		5.7.1.	Interface Skin Color	88
		5.7.2.	Change the Software Language	89
		5.7.3.	Set Quick Access Button	89
6.	FAC	ຊຊ		90
	6.1.	Fing	gerprint has enrolled but often gets failure in identification.	90
	6.2.	The	e machine cannot connect with PC.	90
	6.3.	No	records found though employee has clocked in/out.	91
	6.4.	FP	Scanner off	91
	6.5.	We	do not use the ID + fingerprint mode to verify	91
	6.6.	The	e unit beeps automatically when no one punches in/out.	91

1. Product Overview

1.1. Product Description

FacePass Pro is a breakthrough innovative product with 5 years effort. Its highly improved algorithm, powerful hardware platform, and abundant interface port ensures it provides rapid and accurate recognition, stable and convenient upgrade process, and perfect system integration performance. The multi-point infrared light source and dual infrared cameras can achieve fast identification in different environments. What's more, the elegant appearance also adds much beauty to this device.

FacePass Pro attendance system with friendly user GUI interface, voice prompt, touch screen operation, convenient WEB server management software as well as 7*24 working endurance, is the best partner for enterprise users. Furthermore, active auxiliary illumination technologies make the systems strongly robust against light-changing environments, USB import/export, face/Card recognition mode, and built-in powerful attendance management software; it provides a "Convenient and Effective" attendance management solution.



The following is structure of FacePass Pro:

1.2. Product Features

• Anviz latest face recognition algorithm

Multi-level gray-scale can show better performance contours of the face, and



prominent features point for face recognition. Even if in the strong light it can also capture and identify the face immediately. Multi-point processing not only multi-point acquisition facial feature points, but also converts feature point to data directly, to ensure the face recognition speed and accuracy, which reduces the recognition false accept rate.

• Advanced infrared light source design

The advanced infrared light source design makes the terminal with superb adaptability for changing illumination, suitable for different complexion, gender, facial expression and beard, hair style.

• 24/7 continuously working

Human-harmless non-visible auxiliary light technologies, good performance regardless of day or night environment.

• Stable performance, low power and energy conservation

High performance, low power ARM processors, sheer standalone operation, keep stable after long time working, auto-standby mode supported, energy saving, and environment friendly.

• Easy to use, friendly user interface

TFT touch screen, user friendly GUI and WEB management software, local operation supported, real-time display, and vivid voice provided.

• Terminal intelligence updates

Automatically synchronizes time, capture face images. Template self-studying is also built in that makes face template database keep updating along with dynamic changes of hair style, complexion, and age, and so on. It always stores the most updated version of user information to make correct recognitions.

1.3. Packing List





3. CAT. 5 UTP CABLE



2. FIXING FRAME



4. POWER SUPPLY (12V1A)



5. OPERATION MANUAL



1.4. Terminal Parameters

ltem	FacePass Pro
Camera	Dual-Cameras
Recognition Mode	Face, ID+Password, Card
Maximum User	400
Recognition Speed	<=1s
Recognition Rate	>=99%
Failure Rate	<=0.1%
Anger Range	Horizontal: ±20°, Vertical: ±20°
Fitting Height	145-195CM
Recognition Distance	30-80CM
Records Supported	100,000 records
Relay	1 relay supported simple switch signal output
USB Flash Drive	Supported
Offline User Profile Edit	Supported
Network	Support TCP/IP (RJ45 Interface with signal light)
Built-in Web server	Supported
Tamper Alarm	Supported
RTC	Built-in RTC, Network time synchronization (SNTP)
LCD	TFT, 2.8 Touch Screen LCD 320*240
Function Key	Up to 10 function keys are supported
Signal Light	Red (Alarm/Failed); Green (Running/Successful)
Prompt	Supported (Voice, LED)
Environment Requirement	Illumination: 0-20000LUX;
Working Temperature	20%~80%
Working Humidity	-20~45°C
Dimension	175*110*145mm
Installation	Desktop / Wall Mounting



1.5. Installation Environment Requirements

The recognition distance of the FacePass Pro is about 30-80cm. So the terminal mounting or put at proper height is very important. The recommend installation height is about 57" (110cm). Please refer to the following Figure.



Installation Heights

Notice: The direct sunlight would cause great impact on the face recognition performance, so both terminal and user's face are not allowed to be under direct sunlight.

The following are scenes for product:

Environment 1: Sunlight shines into the room.

As the picture shows, locations with marked blue ring are not good for terminal installation. It shall be installed at the places where there is no sunlight interference.







Window curtain is necessary to shelter from sunlight. The terminal shall be installed at the place where sunlight is sheltered.



Environment 3: Sunlight shines into the room from the door.



Install the terminal at the place where there is no sunlight interference.

Environment 4: Sunlight shines into the room from the door and there is glass window on one side.

Do not install the terminal at the side with glass window.



1.6. How to Use Enterprise Face Access System

Step1. Register Face Template. As the picture shows, stand in front of Terminal, the best distance between terminal and user is 0.3-0.8 meter (depending on the height of user).



Step2. Look at the camera and move the face as per the instruction mentioned above, the system will capture the face image and save them into database automatically.



Step3. Stand in front of the device and input your user ID, then look at the camera the system will make face verification automatically.

Step4. If verification succeeds, green lights and buzzer sounds. "Verification is successful" will be shown on screen. System will send a command to access controller and open the door.

2. Terminal Operation

Power on the FacePass Pro, the terminal will enter "Input Page" and with voice prompt "Welcome". Keep 10sec without any operation at "Input Page", the terminal will enter "standby Page". Please touch screen back to "Input Page".



Input Page

Standby Page

Administrator Verify Page

2.1. Main Manage Interface

In the "Input Page", click the bottom of the screen. It will appear two icons.



Click enter to "Administrator Verify" Page, then input the default admin ID "1" and password" 12345". Then click "OK" to enter "Main Menu" Page.



Main Menu Page

User Manage Page

User Enroll Page

Warning: Guarantee the safety of equipment, please change the default password.

Note: When there are more than 1 administrator, you need to input information by following the prompts to enter "Main Menu Page".

2.2. User Management

2.2.1.User Enroll

Please refer to the following steps to enroll the users:



Power on the device to enter "Input Page". Click the bottom of the screen. 1.

Click for the enter "Admin verification" Page.



Input default ID "1" and password "12345" then press "OK" to enter "Main Menu" 2. Page.

f	Admin Veri	ify 11:29				
Pls enter User ID or Punching						
1	2	3				
4	5	6				
7	8	9				
* /C	0	#/◀				
OK Back						

í	admin Ver:	ify 11:29			
Enter password					
1	2	3			
4	5	6			
7	8	9			
*/c	0	#/ 4			
ок		Back			

3. Click "User" option to enter "User Manage Page".



4. Click "Add" to enter "Enroll User" Page to register a new user.

ID	Name	PI	FC	CD 🖍	
1	USER1		A		
2	USER2				
1 2 3	USER3			12	
4	f				
4 5 6	USER5				
6	USER6	N	13		
				~	
Add Edit					

5. Input "User ID" and "Name". Then click "Next Step" to enroll.

	Enroll user	5
User ID	1	
Name		
1	2	3
4	5	6
7	8	9
* /C	0	#/ ~ 4
Pre step	N	ext step

6. Option messages you need enroll. You can choose Face/Password/Card/Photo to enroll.

Verification mode must be equal or greater than one.

User 000000001	5
Face	•
Password	
Card	
Photo	2

2.2.1.1. Face Enroll

1. Click "Face" to enroll user face.



The Demo Interface



During face image capturing process, please keep your eyes in the blue frame. Then move eyes above and below till enrolling successfully.

2.2.1.2. Password enroll

Click "Pwd" to enter password enroll Page.

Set your password, then confirm it. Click "OK" to successful enroll.

User 00000001 🛛 🗂					
Set					
Confirm					
1	2	3			
4	5	6			
7	8	9			
* /C	0	#/ ◄			
OK Back					

2.2.1.3. Card Enroll

Click "Card" to enter card enroll Page. Swipe card at the card reader area, then the card will display on the device. Click "OK" to successful enroll.

Re-enroll	card 📩	User 000000001	5
Please enroll care	ł	Please enroll card	
Card 0		Card 11866043	
ок	Back	ОК	Back

2.2.1.4. Photo Enroll

Click "Photo" to enter photo enroll Page. Click "Take Photo" to take user's photo. You can choose "Cancel" to take photo again.



2.2.2.Modify User

1. In the "User Manage" Page, please click user's name to "Modify user" Page.

ID	Name	PDFCCD 🔨
1	USER1	
Z	USER2	
3	USER3	
4	f	
1 2 3 4 5 6	USER5	
6	USER6	
		real of the second
		Y
	Add	Edit

User Manage Page

2.Click "Modify" to "Modify user" Page to modify registered user information and re-registration user face.

Click "Back" to "User Manage" Page.



3. Choose information which one you need to modify. The detail operations please refer to 2.2.1 User Enroll.

Modify user 📩
Edit Name
Enroll Again Face
Modify Password
Re-enroll card
Enroll Again Photo

Modify user Page

2.2.3.Delete User

In the "User Manage" Page, click the user to be deleted in users list.

Modify user User Manage Name PDFCCD 🖍 ID USER1 **USER2 USER3** f N USER5 USER6 User ID : 1 Name: USER1 Add Edit Modify Delete Back

Click "Delete" to delete registered user information.

2.2.4. User Recognition

There are 2 ways to pass recognition:

Face Recognition



1. If enable body induction in the device it will automatically switch to "Face Recognition Page" when user stands in front of the device.



2. According to the device instruction please keep your face in the yellow frame.



3. Face verification succeed.



ID Recognition

1. There is a button in the "Face Recognition" Page. Press it to "ID Recognition" Page.



2. Input User ID and Password in the input box.

Pass	swd v er ifu	j 11:29
User ID		
1	2	3
4	5	6
7	8	9
*/c	0	#/◀
ОК		Back

3. Input Enter password then Click "OK" to enter system. Or press "Back" to cancel verification and back to "Password Verify" Page.

Pass	wd verify	j 11:29
Enter password		
1	2	3
4	5	6
7	8	9
* /C	0	#/ ~ 4
ОК		Back

4. If ID and Password verification succeeds, the camera will capture a current image and display on the LCD.



Card Recognition

1. The Card Recognition, the device must stay on the "Input page".

f	Admin Veri	ify 11:29
Pls enter User ID or Punching		
1	2	3
4	5	6
7	8	9
* /c	0	#/ ◄
ОК		Back

2. Swipe the registered card on the card reader area.



3. If card verification succeeds, the camera will capture a current image and display on the LCD.



2.3. Communication Setting

In the FacePass Pro main menu, please press "Comm" to enter "Communication Setting Page".



Main Menu



Communication Setting Page

2.3.1.Network Setting

1. Click "Network" option to "Network" Page. Click IP, Sub-Mask, Gateway and Port to set information.







	IP			Sub-mask	
192 .	168 . 020	. 113	255 . 2	255 . 255	. 000
1	2	3	1	2	3
4	5	6	4	5	6
7	8	9	7	8	9
* /c	0	#/4	* /C	0	#/ 4
ок		Back	ок		Back
	Gateway			Port	
192 .	Gateway	. 001	-	Port	
192 . (3	1		3
	168 . 020		1 4	30000	3 6
1	168 . 020 2	3		<u>30000</u> 2	
1	168 . 020 2 5	3	4	30000 2 5	6

2.3.2.USB Manage Setting

The USB Manage is for USB Flash Drive import/export data to terminal. Please plug in USB Flash Drive to the terminal then click "USB Manage" option to enter "USB Manage Page".

U-disk Management 🛛 🗂
Export TA Records
Export some users
Export all users
Import user template

Export TA Records:

Click "Export TA Records" to export the data.





After export record successful. You can find a "record.csv"ll in the USB Flash Drive.



Export some users:

Click "Export some users" to export the data. Input the user ID you need to export. "Add" is used to add user you need export. "Back" can take you to "U-disk Management" Page.



Export all users:

Click "Export all users" to export the data.





Import user template :

Click "Import user template" to import the data.



2.4. System Setting

In the FacePass Pro main menu please press "Option" to setting.





2.4.1.Option

Click "Option" can setting terminal language, volume, Verify Management, Time Interval, I/O input and output, shell arm functions for the terminal.



1. Language: Click "Language" can setting terminal language. Choose the language it will jump to "Option" Page automatic.



2. Volume: Click "Volume" can set turn on or turn off "key tone" and "voice".

"Default" can help you to the default setting. Press "Yes" to continue. "No" to cancel.





3. Verify Management: Click "Verify Management" to set the value of threshold, update threshold, prevent registered colleagues threshold, body sensibility, second threshold, second threshold count.

"Default" can restore factory settings. Press "Yes" to continue. "No" to cancel.



4. Time Interval: Click "Time Interval" to set the interval time. Value:0-255 Min.

Time Interval					
Time I	nterval(0-2	255)Min			
	Min				
1	2	3			
4	5	6			
7	8	9			
* /c	0	#/ 4			
ОК		Back			

5. I/O Input And Output:

Click "I/O Input And Output" to set the way of switch out and duration of delay.

"Switch out" have 5 ways: Disable, Success, Failed, Bell, Shell.

"Duration of Delay" can set time delay from 1 to 15 second.

"Default" can restore factory settings. Press "Yes" to continue. "No" to cancel.

I/O Input And Output 👈		Switch Out 🛛 👈
Switch Out	Disable	Disable 🔷
Duration of Relay	J 3s	Success
		Failed
		Bell
		Shell
Default	-	



6. Shell Arm: Click "Shell Arm" to open or close the alarm. It can protect your device remove from the wall.

Option	Ð
Language	
Volume	
Verify Management	
Time Interval	1Min
I/O Input And Outp	ut
Shell Arm	OFF

2.4.2.Admin

Click "Admin" can set terminal Administrator. The terminal has a default Administrator"1" and the default password is "12345". The default Administrator cannot be deleting in the terminal. You can modify the password and enroll face via the "Edit" option. The FacePass Pro device can enroll 10 administrators.

Click "Add" to add a new Administrator. The "Name" and "ID" are fixed fields in the terminal. You can input password and enroll your face.

Click "Edit" option to modify the Administrator password and enroll face.

The details enroll operation step please refer to the -2.2.1 User Enroll chapter.

	ID Name PDFCCD	Admin Config 🛛 👈				
	Add Edit	ID	Name	PD	FCCD 🔨	
	Add Edit					
	Add Edit				•••••	
	Add Edit					
Add Edit	Add Edit					
Add Edit	Add Edit					
Add Edit	Add Edit				····· · ··· ·	
Hud Luit		A	dd	E	dit	

2.4.3.Time

Click "Time" option can setting terminal's time and date:

Tin	ne 🕤
Time Zone	EAST +08:00
Set date	2051-03-30
Set time	14:31
Display Format	t MM-DD-YY
	SERUER ON
192.168.3.	162

Time Zone: Time Zone setting. Please select local time zone in the terminal. **Set Date:** Set the date.

Set time: Setting the hour for the time. Time format is: hh:mm.

Display Format: Choose the appropriate format of the date.

Act as NTP-SERVER: Active Network Time Protocol Server use to synchronize the terminal time via network server.

Sync with NTP-SERVER: Input NTP Server IP address.

2.4.4.Advanced

There are "Auto-sleep time setting", "Timing Ring", "Touch Screen Calibration", "Factory Default", "System version update" functions in the "Advanced" Page.



2.4.4.1. Auto-sleep time setting

"Auto-sleep time setting" is for automatically turn on/off the terminal on time to save power. The terminal support 4 groups auto-sleep time. Click time box can set the begin time and the end time. You can on or off it as your wish.

Auto-sleep time setting	5	Sleeping Time1			
Sleeping Time Sta	tus	Began To		END	
	FF	00:00		0:00	
00:00-00:00	FF	1	2	3	
	FF	4	5	6	
00:00-00:00	OFF	7	8	9	
		* /C	0	#/ 4	
		ок		Back	

2.4.4.2. Timing Ring

Timing Ring: The terminal support 5 groups ring time. Click "Ring Setting" to set time and ringtone. There are five ringtone types in the terminal. Click "Ring Count" to set the count. Value: 1-25.

Timing R	ling 🕤	Timing Ring 📩		Ring Count			
Ring Setting		Time	Ringtone	Status	Ring Count(1-25)times		
Ring Count	5 times	00:00	bell1	OFF	05 time		
		00:00	bell1	OFF	1	2	3
		00:00	bell1	OFF	4	5	6
		00:00	bell1	OFF	7	8	9
		00:00	bell1	OFF	* /c	0	#/ ◄
					OK Back		



2.4.4.3. Touch Screen Calibration

When the touch screen pinpoint deviates from actual position to a certain extent, screen calibration could be performed "Touch Screen Calibration". Follow the instruction shown and click the Red Cross on the screen repeatedly to calibrate the touch screen.



2.4.4.4.Factory Default

Click "Factory Default" to initialize the terminal to factory mode. This function will empty all the setting and user information in the terminal. Please be carefully to reset the terminal.

The following is "Factory Default" Page. Click "Factory default" to delete all user information. After it the terminal is will restart.


2.4.4.5. System version update

Click "System version update" can update system version through U-disk.

2.4.5.Info

The "Info" option will display terminal information. Such as users information, S/N, Version, IP, Sub-mask, Gateway, Mac Address.



3. Webserver Software Instruction

Please ensure IP address of terminal is in the same LAN as client-end PC before you run the software.

Please enter the IP address of terminal from IE, for example, the terminal IP is 192.168.0.218, please input Http:// 192.168.0.218 and click Enter, then login Client-end software by User name and Password.

Note: The default IP of terminal is 192.168.0.218. The default user name is *admin* and password is *12345.* <u>Pay attention: the name of 'admin' can't change to any</u> <u>other name.</u>

3.1. Home Page



The administrator can set the Option, Network Setting, User Manage, Time Attendance, Holiday Management and inquire records of attendance, attendance statistic, etc. Through webserver software, the administrator can also perform software upgrade, gateway reboot, password change, etc.

3.2. Option

In option page, you can set Access setting, Touch Screen Calibration, Data Maintenance, Update Software and Reboot Device.



ace Recognition Sy	ystem							
Home page	Option	Network Settings	User Manage	Time Attendance	Holiday Management	Identification Record	Attendance Report	
	Option Access Sr Durat Volue Shell Shell Dooth I/O J	etting ion Of Relay ³ we	User Manage	Touch Ser The I Data Knin Re-s Update So Salect	een Calibration erainal into the sc itenance stract Features ftware To Update Software to not operate when up	ж Эбр	Attendance Report	
			Save		Update			
				Reboot De	vice			
					All current work will tingabout 1 minute, s			
					Reboot Device			

1, Access Setting

In Access Setting, you can set Duration of Relay. You can set value from 1 to 15 seconds. Default is 3 seconds.

2, Volume

You can on or off the key tone and voice.

3, Shell Arm

You can on or off the shell arm and doorbell.

4, I/O Input And Output

You can switch out

5, Touch Screen Calibration

Activated the screen calibration mode

6, Data Maintenance

The face feature templates of the same person created by a different version system are somehow different; it will put an impact on the actual recognition performance. Regarding the switch of a different system version, "Data Maintenance" function is provided. After software upgrade task, we recommend user to activate "Re-extract Features" manually so that optimized performance is ensured.

7, Update Software

Start TFTP server and put the software to be upgraded into the TFTP folder. Then enter the IP address and the name of the software as Picture blow, click "upgrade".

8, Reboot Device

Reboot the terminal

Tips: All current work will be interrupted when restarting about 1 minute, sure to

restart?



3.3. Network Setting

Check and change the network, IP address, Subnet Mask, Gateway and DNS Server.

Face Recognition S	ystem							
Home page	Option	Network Settings	User Manage	Time Attendance	Holiday Management	Identification Record	Attendance Report	
				Network Typ	e Static IP	•		
				IP Add	192. 168. 20. 113			
				Sub-mas	255. 255. 255. 0			
					00-72-11-10-F2-0F			
				Gateva	y 192. 168. 20. 1			
					202.96.134.133			
				Save	Cancel			

3.4. User Management

Create new user, browse, edit and delete existing user. Input work code or name then click "Search" can search user's information. Select file you want to import then click "import". (Note: must be .csv) Click "Modify" you can modify user name, ID and photo. Click "Delete" you can delete user information.



Click "Add User". Input user name and ID then click "Add". "Empty" can clear your input information. Then you can add a photo. You can browse in your computer to pick one.



Face Recognition	System							
Home page	Option	Network Settings	User Manage	Time Attendance	Holiday Management	Identification Record	Attendance Report	
					Photos (maximum 32 k	:)		
	Name	Basic Info						
	User ID							
	USER ID							
		Save	Enpty		Add a pho			
						测览		

3.5. Time Attendance

Set Duty on/off time setting, Late setting, Absent setting.

Tip: Noon break setting: before this time time is morning, or afternoon work (meaningless if no night work identification) Evening break setting: before this time time is afternoon, or night work (meaningless if no night work identification) Date split setting: before this time clock is OT, or normal work of the day.







Face Recognition :	System							
Home page	Option	Network Settings	User Manage	Time Attendance	Holiday Management	Identification Record	Attendance Report	
Time & Att	endance cha	nged succes	ssfully !					
Back								

3.6. Holiday Management

Set official holiday and extra holiday.

Pitch on the official holiday. Then click "save" to save setting.

e page Option	Network Settings Official holiday sett: Mon Tue Wed Thu	User Manage	Time Attendance	rroway rianagemen	t Identification Record Attendance	Report	
	Mon Tue Wed Thu						
	Mon Tue Wed Thu						
	Tue Wed Thu						
	Wed Thu						
					Holiday setting		Add hol:
					Festival name setting	On time 1	To Operation

Click "Add holiday" can add extra holiday. Such as: Labour Day, National Day. Input the festival day name and choose the date, then save. And also you can modify or delete it.



💋 http://192.168.20.113/r	nodifyFestival.asp
,	015-05-11
To 20	015-05-11
Sa	ve Cancel
ce Recognition System	
Home page Option Network Settings	User Manage Time Attendance Holiday Management Identification Record Attendance Report
Home page Option Network Settings Add Festival Successful	User Manage Time Attendance Holiday Management Identification Record Attendance Report
Home page Option Network Settings Add Festival Successful	User Manage Time Attendance Holday Management Identification Record Attendance Report
Home page Option Network Settings Add Festival Successful	User Manage Time Attendance Holday Management Identification Record Attendance Report
ace Recognition System Home page Option Network Settings Add Festival Successful Back	User Manage Time Attendance Holday Management Identification Record Attendance Report
Home page Option Network Settings Add Festival Successful	User Manage Time Attendance Holday Management Identification Record Attendance Report
Home page Option Network Settings Add Festival Successful	User Manage Time Attendance Holday Management Identification Record Attendance Report
Home page Option Network Settings Add Festival Successful	User Manage Time Attendance Holday Management Identification Record Attendance Report

3.7. Identification Record

3.7.1. Maintain Identification Record

Inquire all identification records by time and date. Support conditional inquiry as per Name, ID and Card No.

Click "Maintain Identification Record", the following window will appear:

Choose the date you want to delete then input the user name or ID or card number. Then click "delete" to delete the data.



me page Option Network Settings User Manage Time Attendance Holday Management Identification Record Attendance Report Identification Identification Identification Identification Identification Callstock Identification Identification Identification Identification Identification Callstock Callst								
Identification Record query	ome page	Option	Network Settings	User Manage	Time Attendance	Holiday Management		
Al reach before the data will be removed 2019-05-11 Tame Data 10 Card humber								
2015-05-11 Nam Dare D Card Number							Identification Record query	
2015-05-11 Nam Dare D Card Number								
Name David Device Card Name						AL records before this date will	be removed	
Name David Device Card Name						2015=05=11		
Dar Ib Gard harbe						2010 00 11		
Dar Ib Gard harbe								
Gard hashe					N	ame		
Gard hashe					lber	10		
							같은 것은 가슴 감독 등 것으로 했다.	
Batta						iber	2 전문 소설은 가슴을 가지 않는 것이 같아 이 것이 않아 이 없어 이 것이 않아 이 것이 않아 이 것이 않아 이 것이 않아 이 없어 이 것이 않아 이 것이 않아 이 없어 이 것이 않아 이 없어 이 없어 이 없어 이 없어 이 없어 이 없어 이 있어 이 없어 이 있	
Belete								
					De	lete		

(Note: All records before this date will be removed.)

3.7.2. Identification Record query

Inquiry the records by date, Name, User ID or Card NO.

Input the information you want to query. Then click "Query".

"Export Records" can help you to export records to your computer.

(Note: Data range is limited in a month.)



3.8. Attendance Record

3.8.1. Personal Attendence Roport

Inquire the records of attendance by Time, Name or ID No. Click "Export htm TA Records" and save as .htm file. Click "Export TA Records" and save as .CSV file.



User Manual

or User ID			2015-05-11		То	2015-05-11	Query	Export htm TA rep	a sust	port TA report
e Recognition Home page	a System Option		Network S	Settings	User	Manage Tim	e Attendance H	oliday Management	Identification Record	Attendance Report
Home page			Network S 2015-05-11		User	Manage Tim 2015-05-11	e Attendance H		Identification Record	Attendance Repo Export TA report
		From								

3.8.2. Daily Attendance Report

Inquire the daily attendance records of all employees. Click "Export htm TA Records" and save as .htm file. Click "Export TA Records" and save as .CSV file.





3.8.3. Monthly Attendance Record

Inquire the monthly attendance records of all employees. Support the inquiry of personal monthly attendance statistic by Name or ID No. then Choose the month.

Click "Export htm TA Records" and save as .htm file.

Click "Export TA Records" and save as .CSV file.

Face Recognition System



4. Background Management

Management software can collect attendance records from different terminals, calculate according to shift setting, and finally generate different reports. The background software can manage employee information, set rules of attendance etc.

4.1. Log in System

Double click the icon [\checkmark] on the desktop to start the attendance background management program. The log-in interface will pop up as follows:



The default administrator's name is "Admin" and password is empty. Log in system and the following interface will be displayed:

	B Management			Data Maintenance	External	Helm				
.,			and of the second							
					21					
			Employees		Schedule					
		E	. mpiloyees	Timetable	Schedule					
					17					
					a b	0	-			
						\sim	-			
					Record	Report		Clear Data		
					1					
					11					
				6	-					
				1	15*			Compress DB	Exit System	
				S	0					
				Append Rec.	Leave					
2011-0	8-24 15:56:17	Admin		Fingerprint T&A	Hanagaman	System	Be True	A Safa		

The main interface includes three parts:

1. System menu: Include the whole function module & information

2. Shortcut button: Shortcut button of common function module, array in working order, easy to work on

3. Status column: Show the current time, logged-in administrator and system information.

4.2. System

Click [System] on the main menu, following springs:



4.2.1. Parameters Settings

Click [Parameters Settings] in system menu. The following window will prompt:

System parameters setting	
Basic parameters Stat, Rules Leave class Field definition Basic info Unit Name: head office Common Rule	
A workday count as 460 Minute Not clock in count as late Not clock out count as early 60 Minute 0 n duty 0 minute 0 n duty 60 minute 10 minute	Normal Day
	<u>O</u> K <u>C</u> ancel

Basic parameters:

Unit Name: Set your company name, the default is "Head office". Input your company name that will be deemed as the head of departments list.

Common Rule:

A working day counts "as how many minutes", is the base for time attendance calculation which will be the transition standard to calculate the late to work/early to leave /free overtime items, minute is the good transition standard of hours and working day.

"Late for work as how many minutes" can be set when no clock-in on duty, "early to leave as how many minutes" when no clock out for off duty.

The minimum time that can be calculated as overtime before on duty time or after off duty time.

The "X minutes" will be automatically deducted from the total overtime if you select the item "deduct the on duty X minutes earlier/later".

"Shift expand two days" is set under real condition.

Stat. Rules:

Click page [Stat. Rules], following shows:

Systen parameters Basic parameters Stat. Rules	setting Leave class Field definition	X
Stat. Items: Normal Late Early Business Leave Absence Stay away Dvertime Free Overtime	Stat. Rule Unit Set Unit: Day Minimum: 1.0 Round-off control Round down Round up PRound at total Round off Accumulate by times	
	<u> </u>	

This page describes the stat. rules of items: Normal, Late, Early, Business Leave, Leave, Absence, Overtime, Free Overtime.

Unit Set: Set the accounting unit and minimum time of stat time.

- **Round down:** Abandon the decimal regardless it is. For example, if the minimum calculation unit is 1 day, if the accumulated time is 1.1 days or 1.9 days, the result of calculation is 1 day.
- **Round up:** Add one unit regardless the decimal is. For example, if the minimum calculation unit is 1 day, if the accumulated time is 1.1 days or 1.9 days, the result of calculation is 2 day.
- **Round off:** If the decimal is equal to or over 0.5, add one unit, or else, abandon it.
- **Round at total:** Add up the total time and then round according to corresponding unit.
- Accumulate by times: Only calculate the total times, display the accumulated times in report.

Notice: The setting of stat. Rules above will directly affect the statistical result. Please make above setting according to the true status of your company to ensure the accuracy of reports.

Leave class:

Click page [Leave class], following shows:

🕗 System par	ameters set	ting		\mathbf{X}
Basic parameters	Modify Save	\oslash	Administration Department	
		~	<u>D</u> K <u>C</u> ancel)

Add new leave class:

Click [Append], input the name of leave class and choose color, then click [save] to keep it.

Modify leave class:



Select the name of leave class which one need to be revised, click [Modify], input new name of leave class and color, and click [Save].

Delete leave class:

Select the name of leave class which one need to be deleted, click [Delete], and click [OK] to finish the operation.

Field definition:

Click page [Field definition], following shows:



This page add the corresponding value for [Nation], [Specialty], [Position] [Education] in menu [Employee maintenance].

4.2.2.Administrators

Click [System]-[Administrators], following window shows:



Append new administrator:

Click [Append]—input the name of new administrator in field of [Administrators], select corresponding privileges below and click [Save] to finish adding of new administrator. The default password of new administrator is **12345**. Please log in as the new registered administrator and click menu [System] -- [Administrator's password set] to set new password of administrator for system security.

Note:

1. Before you using the administrator mode, you need to set the privileges for every administrator with which the administrator can modify the operation items after he log in the software; there are all the items in the "Items operable" list in above picture, such as "Employee maintenance, Shifts settings, Calculating and Report"; we can set different privileges for different administrators so as to divide and manage the task systematically.



2. After you add a new department, you must modify the privileges of the "Department operable" for the administrators (select the new department in the "Department operable" list and save), who will have the privileges to modify the new department, and then you may do other operations.

Modify administrator:

Select the name of administrator, click [Modify], input new name of administrator and corresponding rights in [Administrator] and click [Save] to finish.

Delete administrator:

Select the name of administrator who will be deleted and click [Delete] to finish deleting according to the prompt.

4.2.3. Administrator's Password Set

Click menu [System]--[Administrator's Password Set], following springs:

🕗 Administr		trator modify passwor
Old Pwd:		
New Pwd:		
Confirm Pwd:		
	<u>C</u> ancel	<u>K</u>

Input the original password in [Old Pwd], enter the new password in [New Pwd], enter again in [Confirm Pwd] and click [OK] to finish.

4.2.4. Modified Record Log

Click menu [System]--[Modified Record Log], following springs:



Select Department, Employee No. and Time Range and click [Search] and those records which match the above condition will be displayed.

				Time Range			
Department 👸	Head office	Staffer No. All	×	From 📶 · 3-1 💌	0:00:01	To 2009- 4- 9 💌	23:59:59 😂
Department	Statler No.	Name	Clocking Time	State	Modily type	Reasons	Administrat
	1001		2009-04-02 18:30:0		Add	Forgetting clock in/out	Admin
	1001		2009-04-02 08:30.0		Add	Forgetting clock in/out	Admin
	2	5	2009-04-02 08:30:0		Add	Forgetting clock in/out	Admin
	2	8	2009-04-02 19:00:0		Add	Forgetting clock in/out	Admin
	2	5	2009-04-01 19:00:0		Add	Forgetting clock in/out	Admin
	2	1	2009-04-01 08:00:0	0 Clock In	Add	Forgetting clock in/out	Admin

Click [Close] to exit.

Notice: Modified record log shows all the time attendance record modifications; If there's record that has been revised incorrectly before, it can be recovered by selecting this record and clicking [Restore].

4.2.5.Managing Log

Click menu [System]--[Managing Log], following springs:

Adminis	trator operati	on log	
Administrator	All	From 2002- 3-14 💌 0:1	00:01 🗢 To 2009- 4-13 💌 23:59:59 🗘
ID	Name	Managing Time	Remark
•	Admin	2009-4-13 11:53:48	Operating system parameter settings
	21 Admin	2009-4-13 11:53:30	Operating system parameter settings
	20 Admin	2009-4-13 11:51:47	Operating system parameter settings
	19 Admin	2009-4-13 11:49:33	Operating system parameter settings
	18 Admin	2009-4-13 11:44:10	Clear the data before " 2009-03-01 "
	17 Admin	2009-4-13 11:43:21	Operating business leave/leave
	16 Admin	2009-4-13 11:42:38	Operating business leave/leave
	15 Admin	2009-4-13 11:41:53	Operating business leave/leave
	14 Admin	2009-4-13 11:40:55	Operating business leave/leave
	13 Admin	2009-4-13 11:36:39	Operating festival/holiday settings
	12 Admin	2009-4-13 11:32:16	Operating system parameter settings
	11 Admin	2009-4-13 11:25:10	Operating system parameter settings
	10 Admin	2009-4-13 11:24:47	Operating system parameter settings
	9 Admin	2009-4-13 11:24:41	Operating system parameter settings
	8 Admin	2009-4-13 11:24:21	Link the database to
	7 Admin	2009-4-13 11:23:08	Operating system parameter settings
	6 Admin	2009-4-10 18:01:06	Operating system parameter settings
<			

This log records all the operations of every administrator. Select [Administrator] and the Time Range then click [Search] to see what operations have been done by this administrator within the selected time range, which makes it possible that the multi-administrators can use the software at the same time.

4.2.6.Set Database Link

This system adopts the database interface of Microsoft ADO. The acquiescence database is Access2000.The defaulted is att2003.mdb under the main setup directory. You can set up the database linking again according to the actual conditions.

When the following mistake appears, you should link database again:





Click [Database linking] in system menu, the following springs.

😼 Data Link Properties
Provider Connection Advanved All
Specify the following to connect to Access data: 1. Select or enter a glatabase name:
E: \Test\Backgroup management\Att2003. mdb 2. Enter information to log on to the database:
User name: Admin
Password:
Blank password Allow saving password
Test Connection
OK Cancel Help

Input the database name or click the <u>u</u> button to select the correct database file. **Notice:** You can click [Test connection] to test the connection correctness of the database.

4.2.7.Exit System

Click [Exit System] in System menu. The following menu springs:

Please make sure 🔀
Are you sure to exit?
OK Cancel

Click [OK] to exit management software and return to Windows system.

4.3. HR Management

Click [HR Management] on the main menu, following springs:



4.3.1.Department Management

Click [Department Management] in the [HR Management] menu, springs the following window:





Add a new department:

Click [Append], input the new department name and click [Save] to add a sub department for the chosen department.

Note: When you want to do some other operations to the new department, you need to set the privilege of modifying the new department for the administrator in the [administrator set] first (choose the new department you just added in the "Department operable").

Department modification:

Choose the department, click [Modify] and input the new department name, then click [Save].

Delete the department:

Choose the department, click [Delete] and then click [OK] to complete.



Notice: Repetition of department name is not allowed; if there are employees existing in the deleted department, those employees will be automatically transferred to department of head office.

4.3.2. Employees Maintenance

Click [Employees Maintenance] in [HR Management] menu, the following window appears:

🖳 💁 者			1									
append Delete Modi												
head office	Search Empl	oyees		<u>a</u>								
💑 A&D	Employee		Department	Position E	mploy Date Telepl	none	Address	Sex	Language	Comment	Card No.	Mobil
💑 Sales		8102 8108	head office head office									
- 🌺 P&D	<u>►</u>	8108	head office									
	٢											
mployees Information E					tu							
mployees Information E Enployee No. 8108		Name		Card No.	(Ar		Attenda	nce Set				
		NameLanguage	×		2010-12-17		Attenda Calc		endance			
Employee No. 8108	nroll Fingers	_	×		2010-12-17	>		ulate Atte				
Employee No. 8108 Sex	nroll Fingers	Language		Birthday Position	2010-12-17	~	🗹 Calc	ulate Atte ulate Ovi	ertime			
Enployee No. 8108 Sex	nroll Fingers	Language Specially		Birthday Position	2010-12-17	~	V Calc	ulate Atte ulate Ovi	ertime			

Employee's adding:

Choose the department that the employees belong to, clicks [Append], and input employee's information, then click [Save] to complete.

Note:

1. The items ("Calculate attendance", "Calculate overtime", "Rest on holiday") below "Attendance Set" are correlated with report, please set it correctly. If the checkbox of "Calculate Attendance" of this employee is not checked, there will be no statistical result for this employee in the report. If checkbox "Calculate Overtime" is not checked, the statistical result of overtime of this employee will be 0, unless he had



[Temporary Shifts] which defines as overtime working; If the checkbox of "Rest On Holiday" is not checked, holidays will make no effect on the shifts for this employee; if the checkbox of "Rest On Holiday" is checked, thus for those holidays, even there are shifts on those days for the employee, those shifts will be invalid. And if there are time attendance records of this employee, those records will be deemed as free overtime.

2. Employee No. is exclusive as well as the first digit cannot be 0!

Employee's modification:

Choose the employee, click [Modify] and input the new information, then click [Save].

Employee's deletion:

Choose the employee; click [Delete] and then click [OK] to complete.

Please be cautious when delete the employee since all this employee's time attendance records, shift arrangement will be deleted at the same time.

Import employees:

Click [Import], employee importation window springs for importing employees.

Employee's department shifting:

Choose the employee you want to shift the department click [Transfer] and following window will pop up:



Select the new department and click [OK] to complete.

Export Employee:

Right-click on employee list and the following window pops:

ployee No. 🛆	Name	Department	Position	Emple	oy Date	Telephone	Address
8102		head office					
8108		⊦ <u>S</u> elect		Ctrl+A			
		Cancel	A11	Ctrl+Z			
		Export	Data				_
		Columns		•	✓ <u>E</u> mpl	oyee No.	1
		Show al	l columns		✓ <u>N</u> ame		
					✔ <u>В</u> ера		
					✓ Posi		
					✓ Empl	-	
					✓ <u>T</u> ele		
					✓ <u>A</u> ddr	229	
					✓ <u>S</u> ex		
					✓ Lang	lage	
					✓ Comm	ent	

All displayed fields in employee info list can be defined through submenu of "Column". Meanwhile, the modification will take effect and be saved.

Click [Show all columns] to display all fields in the list.

Click [Export Data] and following window will prompt:

Save in:	🔁 Backgroup nanagenent 🛛 💙 🔇 🍠 📂 🖽 •	
D Recent	Tenplate	
Desktop		
bocuments		
y Computer		
S		
My Network		

Please select your target directory of your export, file format (txt or xls) and the file name. Click [Save] to confirm the operation.

Notice: Exported Excel file can be used as backup information and can be imported again.

4.4. Attendance Management

Click [Attendance] in the main menu, following springs:

Holiday List	
TimeTable and Shift	Ctrl+B
🐲 Staffer Scheduling	Ctrl+P
Attendance Record	
🚵 Attendance Calculating and Report	Ctrl+R

4.4.1.Holiday List

Click [Holiday List] in [Attendance] menu. The following appears.

🕗 Holiday List		×
Append Delete Modify	Save Cancel	
Name May Day	Start Date 2009- 4-16 💌 Days 3	۲
Holiday Name	Start Date Days	
🕨 May Day	2009-05-01 3	

Add festivals or holidays:

Click [Append] then input the festival or holiday name and the rules. Click [Save] when ready.

Modification of festivals or holidays:

Select the festivals or holidays you want to revise, then click [Modify] and input the new information. Click [Save] when ready.

Deletion of festivals or holidays:

Select the festivals or holidays you want to delete, and then click [Delete] to perform Deletion of festivals or holidays.

4.4.2. Timetable and Shift

The relationship between shift and timetables:

Shift setup should be done in two steps: First, setup necessary timetables. Second,

setup shifts. One or more timetables can be included in one shift.

Timetable is the time period between On-duty and Off-duty required in the company rule. For instance, the company rule requires the working hours be 08:00-12:00 and 13:00-17:00; so 08:00-12:00 and 13:00-17:00 are two timetables. If such a shift needs to be setup, these two timetables should be setup first. Here, we use time table "morning" to indicate "08:00-12:00" and time table "afternoon" to indicate "13:00-17:00"; so two timetables have been setup. (Please refer to the following chapter for details of how to add time tables) and then we can add a shift such as "Normal shift" in which "shift cycle" and "cycle unit" will be setup. Then we should add two timetables - "morning" and "afternoon" so that a shift setup is completed. Brief introduction is mentioned here for you to get a general picture of the relationship between timetable and shift. The details of shift setup will be found in the next two sections.

Timetable maintenance:

Click [Timetable and Shift] in [Attendance] menu. The following window appears.

)TimeTable a	und Schedule	Laintenance					Þ
Timetable Maintenan	ce Shift Maintenar	ice					
Append Delete	Modify Save (ancel .					
Timetable Name	On Duty Time	Off Duty Time	^	Timetable Name	Day		
▶ Day	08:00	17:00					
morning	04:00	12:00		On Duty Time	08:00		
afternoon night	12:00 20:00	20:00 04:00		Off Duty Time	17:00		
				Begin Clock-In Time	07:00		
				End Clock-In Time	13:00		
				Begin Clock-Out Time	16:00		
				End Clock-Out Time	20:00		
				Late error allowance	5		Minutes
				Early error allowance	5		Minutes
				Count As Workday	1		
				Count As Work Time	480		Minutes
				🗹 Must	t C-In	🗹 Mus	t C-Out
			~	Eree	Time	🗌 OT 1	Time

Add a new timetable:

Click [Append] and enter the corresponding information:

[Timetable Name] For instance: Day Shift

[On duty Time] (08:00)

[Begin Clock-in Time] (07:00)

[Begin Clock-out Time] (16:00)

[Late error allowance] (5)

[Count as work day] (1)

[Off duty Time] (17:00) [End Clock-in Time] (13:00) [End Clock-out Time] (20:00),

[Early error allowance] (5)

[Count as work time XXX minutes] (480).

Tick [Must C-In] and [Must C-out],

Finally click [Save] to confirm.

Note: Every item should be setup in timetables with no blank left. [Begin Clock-in Time] and [End Clock-in Time] setup the valid time period for clock-in. Records out of this time range will be treated as invalid ones. For instance [Begin Clock-in Time] is 07:00 and [End Clock-in Time] is 13:00. If clock-in record is 07:01 or 12:59, they are valid records but if clock-in record is 06:59, it is invalid. Besides, [Begin Clock-in Time] and [End Clock-in Time] can be more than one day (meaning [End Clock-in Time] can be before [Begin Clock-in Time]) but it can't be longer than 24 hours.

[Late error allowance] means how many minutes after [On duty] are treated as "late",



[Early error allowance] means how many minutes before [End Clock-in Time] are treated as "early"; [Count as work day] and [Count as work time XXX minutes] are used in calculating business leave, leave, absence and overtime.

Checking [Must C-In] and [Must C-out] or not will affect the result of calculation. If [Must C-In] is checked and the timetable is included of Employee A's shift, he will be either considered absence or treated according to [Not clock in count as late XXX minutes] in [Parameter Settings] If he didn't clock in or ask for leave. Otherwise, even if there is off duty record for him only, his attendance will be treated as normal.

The timetable Modification

Select the timetable name you want to revise, and click [Modify], then input the new information, clicks [Save] when finished.

The timetable Deletion

Select the timetable you want to delete, click [Delete], and click [OK] to make sure.

Note: Begin Clock-in Time and End Clock-in Time makes the valid time range for Clock in. Clock in out of this time range will be treated as invalid records. It is the same with Clock-out time. Please setup in accordance with practical situations.

Example—Add a timetable:

Complete process for adding four timetables:

Day shift 08:00 - 17:00 Morning shift 04:00 - 12:00

Noon shift 12:00 - 20:00 Night shift 20:00 - 04:00

(Other information can be setup according to practical situations. Please note there should be no blank left.)

Shift Maintenance

Click [Shift Maintenance] and the following window pops up:

Timetable Maintenance	2 🖉 🖉	xe Dencel				
Shift Name A day shift three shift	Shift Name		Cycles 1	Cycle	Unit Week 💌	
		d 📃 🖻 🗋 🖻	ete 🛛 🗙 🤅	Jear	Auto Class	
	Date	Timetable 1	Timetable 2	TimeTable 3	TimeTable 4	
	Sunday					
	Monday	Day				
	Tuesday	Day				
	Wednesday	Day				
	Thursday	Day				
	Friday	Day				
	Saturday	Day				

Add a shift:

Click [Append] and enter corresponding shit information in [Shift Name] such as: normal shift [Cycle] (1), [Cycle Unit] (week), and click [Add], select the timetables and time range required in this shift in the springing window. For instance, select the timetable – Day shift and select from Monday to Friday and then click [OK], back to this window and click [Save] to complete. (Please refer to the example for details.).

	noice a timetab			Choice the date:	🗌 All
			Off Duty Time	Sunday ✓ Monday	
•	Day	08:00	17:00	✓ Monday ✓ Tuesday	
	morning	04:00	12:00	✓ Wednesday	
	afternoon	12:00	20:00	 Thursday 	
	night	20:00	04:00	Friday Saturday	

Delete the timetable: Select the timetable you want to delete and click [Delete].

Clear the timetable: Clear all the timetables of the shift.

Arrange the shift automatically: when an employee has several shifts during one period, he need to finish all the shifts if it is not arranged the shifts automatically otherwise he will be regarded as absence; if you select the [Arrange the shift automatically], just finishing one shift of the period is reared as normal attendance.

Modify a shift:

Select the shift to be modified and click [Modify], and enter new information in [Shift Name] etc., click [Save] to complete.

Delete a shift:

Select the shift to be deleted and click [Delete].

Example---Three shifts:

Add "Three shifts" Shift

Note: It is assumed that the shift goes around every week, cycle every three weeks and employee is on holiday every Saturday and Sunday.

Step 1:

Click [Append], enter "Three shifts" in [Shift Name], set [Cycle] to "3" and [Cycle Unit] to "Week". Please see the picture below:



Step2

Add corresponding working hour timetable in accordance with "Cycle": first week (morning shift, from Monday to Friday)

Click [Add] and the following window pops up:

noice a timetab	le:		Choice the date:	🗌 All
Timetable Day morning afternoon night	0n Duty Ti 08:00 04:00 12:00 20:00	Off Duty Time ▲ 17:00 12:00 20:00 04:00	Stunday Monday Vednesday Vednesday Thursday Stunday Sunday Monday Tuesday Fiday Saturday Saturday Sunday Monday Tuesday Vednesday Thursday Saturday Sunday Lesday	Wednesday Trusday Friday Saturday

Select the timetable "Morning shift" to be added and select the time range to apply to this timetable "from Monday to Friday of the first week" and click [OK] to complete the setting of the first week.

The second week (afternoon shift, from Monday to Friday)

Click [Add], make corresponding operation in the springing window (see the result below):

🕗 🗚 dd Shift	Timetab	le		
Day 0 morning 0 afternoon 1	In Duty Ti 8:00 4:00	Off Duty Time 17:00 12:00 20:00 04:00	Choice the date: Sunday Monday Tuesday Vednesday Thursday Friday Sunday Vednesday Vednesday Vednesday Friday Sunday Sunday Monday Tuesday Vednesday Tuesday Vednesday	_ Al - Mecheaday - Thuraday - Finday - Saturday
		<u>0</u> K	Cancel	

Click [OK] to complete the working hour setting for the second week.

The third week (night shift, from Monday to Friday)

Click [Add], make corresponding operation in the springing window (see the result below):

Add Shift	t Timetal	le		
Choice a timetab	ole:		Choice the date:	🗌 All
		Off Duty Time 🔨	Sunday	✓ Wednesday ✓ Thursday
Day	08:00	17:00	Tuesday	✓ Friday
morning	04:00	12:00	Wednesday	Saturday
afternoon	12:00	20:00	Thursday	
night	20:00	04:00	Friday Saturday	
<		~	Sunday Monday Tuesday Wednesday Thursday Friday Saturday Sunday ✔ Monday ✔ Tuesday	
	[<u>0</u> K	<u>C</u> ancel	

Click [OK] to complete the working hour setting for the third week.

After the completion of above steps, please don't forget to click [Save] and the setup of "three shifts" will be done (see the picture below):

Timetable Maintenance	S	hift Maintenance					
Append Delete	Redi	fy Save Ca	X				
Shift Name day shift three shift	^	Shift Name	hree shift	Cycles 3	Cycle	Unit Week 💌	
		⊕ <u>A</u> dd	□ □ De	ete 🔀	Clear	Auto Class	
		Date	Timetable 1	Timetable 2	TimeTable 3	TimeTable 4	^
		Tuesday	morning				
		Wednesday	morning				
		Thursday	morning				
		Friday	morning				
		Saturday					
		Sunday					
		Monday	afternoon				
		Tuesday	afternoon				
		Wednesday	afternoon				

4.4.3. Employee Scheduling

Click [Employee Scheduling] in [Attendance] menu. The following window appears:

From 2010-12-16 Imegor arr To 2010-12-16 Del. To 2010-12-16 Del. To 2010-12-16 Imegor arr ate Timetable 1 Timetable 2	👸 head office	Em		Name		Department head office	<u>a</u>	Shift	
From 2010-12-16 V <		810	8			head office			
Image: Second									
From 2010-12-16 V <	Time Range								
ate Timetable 1 Timetable 2 TimeTable 3 TimeTable 4	From 2010-12-16	~		Ē	¥ [I	
								Delete Clear	
2.16 Thursday	late Tin	netable 1	Timetable 2		TimeTable 3	TimeTab	ole 4		
210 Husday									
	16 Thursday								
	2-16 Thursday								
	2-16 Thursday								
	2-16 Thursday								
	2-16 Thursday								
	2:16 Thursday								
	12-16 Thursday								
	12-16 Thursday								

Choose the department or several personnel that need to arrange shifts, click [Arrange], the following window appears:

🕗 Staffer shift maintena	nce				X
Shift List:	Shift Timetable:				
Shift Name Cycle quantity 🔥	Date	Timetable 1	Timetable 2	TimeTable 3	TimeTable 4
▶ day shift 1 three shift 3	Sunday				
	Monday	Day			
	Tuesday	Day			
E.	Wednesday	Day			
	Thursday	Day			
	Friday	Day			
	Saturday	Day			
~					
	The current shift	ochodulo:			
Time Range	Shift name		ginning date	Ending date	
	day shift		09-04-01	2010-04-01	
Beginning 2009-04-01 💌					
Ending 2010-04-30 💌					
Linding					
🖓 Add 🛛 🦊 Del.				or	Count
🔏 Add 🦊 Del.				<u>0</u> K	Cancel



Add a new shift:

Select the corresponding shifts, for instance: The commencement date and deadline of this shift of "normal class ", click [Add] button and then click [OK] to finish the adding of new shifts.

Note:

If the cycle unit of scheduling is "week" and the amount of cycle is more than 2, the starting date should setup as "Sunday".

If the cycle unit of scheduling is "month" and the amount of cycle is more than 2, the starting date should setup as "1st day of a month".

Deletion of the shifts:

Select the shifts in the shifts form which you want to delete, click Delete button, and click ok on the pop up dialog box to finish the deletion.

Arrange a Temporary Shift:

When one or many employee's working time needs to be changed temporarily, you can arrange a temporary shift. Click [Add Temporary] the following window appears:

Please make sure	
Are you sure to make temporary shift schedule to the selected Employees from 2010-	12-01 to 2010-12-16?
OK Cancel	

Click [OK] and the temporary scheduling can be operated. Then click [Add] and the following window will pop up:

		table to add	0".1		Select the dates	All
		On-duty time		^	04-12Sunday	
•	normal day	20:00	18:00 05:00			
	night morning	20:00	12:00			
				~		

Click [OK] and the timetables will be saved. Click [Save] and the temporary scheduling will be saved.

[Delete]: Delete the selected timetable;

[Clear]: Delete all the timetables in the current time range;

[Cancel]: Delete the existing temporary scheduling in the selected time range;

4.4.4.Attendance Records

Click [Attendance Records] in [Attendance] menu, the following appears:



Inquiry of attendance record:

Select the department, employee, the beginning and ending time that need to inquire about, then click search, you can get the corresponding attendance record.

Search <u>R</u> eport <u>E</u> xp	ort Modify Log							
[00]			Time Range					
Department 👸 head	office Employee No. All		rom 2010-12-	1 💌 0:1	00:01 💲 T	o 2010-12-16	23:59:59	
Department	Employee No. Name	Date Time	State	Location ID	WorkCode			
head office	8103 Micheal	2010-12-03 08:53:00			(0		
head office	8103 Micheal	2010-12-06 08:53:00				0		
head office	8103 Micheal	2010-12-06 18:03:36				0		
head office	8103 Micheal	2010-12-07 08:53:00			(0		
head office	8103 Micheal	2010-12-07 18:03:36			(0		
head office	8103 Micheal	2010-12-08 08:53:00			(0		
head office	8103 Micheal	2010-12-08 18:03:36			(0		
head office	8103 Micheal	2010-12-09 08:53:00				0		
head office	8103 Micheal	2010-12-09 18:03:36			(0		
head office	8103 Micheal	2010-12-10 08:53:00			(0		
head office	8103 Micheal	2010-12-10 18:03:36			(0		
head office	8103 Micheal	2010-12-13 08:53:00			(0		
head office	8103 Micheal	2010-12-13 18:03:36			(0		
head office	8103 Micheal	2010-12-14 08:53:00			(0		
head office	8103 Micheal	2010-12-14 18:01:35			(0		
head office	8103 Micheal	2010-12-15 08:53:00			(0		
head office	8103 Micheal	2010-12-15 18:05:52			(0		
head office	8103 Micheal	2010-12-16 08:53:00			(0		
head office	8103 Micheal	2010-12-16 17:59:52			(0		
head office	8108 Lizzy	2010-12-01 08:56:00			(0		
head office	8108 Lizzy	2010-12-01 18:12:00			(0		
head office	8108 Lizzy	2010-12-02 08:56:00			(0		
head office	8108 Lizzy	2010-12-02 18:12:00			(0		
head office	8108 Lizzy	2010-12-03 08:56:00			(0		

Attendance record report form preview:

Click [Report] when the window displays the attendance inquiry records, you can get the report form automatically.



T					
<u>I</u>	lead off	ice attendand	e recor	d report	
				2009-04	-01 To 2009-04-16
r Jaka Ohan	0004	2009-4-10 17:04:34	Clock Out	2009-4-7 7:45:1	6 Clock In
r Denartmen Jake Chen	0001	2009-4-137:35:46	Clock In	2009-4-7 17:14	
2009-4-1 7:23:05	Clock In	2009-4-13 17:27:06	Clock Out	2009-4-8 7:08:1	
2009-4-1 17:00:59 2009-4-2 7:45:35	Clock Out Clock In	2009-4-14 7:06:12	Clock In	2009-4-8 7:24:5	
2009-4-2 7:45:35	Clock In Clock Out	2009-4-14 17:16:25	Clock Out	2009-4-8 17:20:	
2009-4-2 17:05:16	Clock In	2009-4-15 7:46:59	Clock In	2009-4-9 7:49:5	52 Clock In
2009-4-3 17:01:54	Clock Out	2009-4-15 17:08:53	Clock Out	2009-4-9 7:51:5	56 Clock In
2009-4-3 17:01:54	Clock In	2009-4-16 8:00:59	Clock In	2009-4-9 8:02:1	5 Clock In
2009-4-6 7:38:36	Clock In	Count: 27		2009-4-9 17:11:	
2009-4-6 17:08:42	Clock Out	000m. 27		2009-4-10 7:45	19 Clock In
2009-4-8 17:08:42	Clock In	R&D King Jin	8103	2009-4-10 17:04	:34 Clock Out
2009-4-7 17:14:20	Clock Out	2009-4-1 7:23:05	Clock In	2009-4-13 7:35	46 Clock In
2009-4-7 17:14:20	Clock In	2009-4-1 17:00:59	Clock Out	2009-4-13 17:27	
2009-4-8 7:24:53	Clock In	2009-4-2 7:45:35	Clock In	2009-4-14 7:06	
2009-4-8 17:20:05	Clock Out	2009-4-2 17:05:16	Clock Out	2009-4-14 17:16	:25 Clock Out
2009-4-9 7:49:52	Clock In	2009-4-3 7:52:12	Clock In	2009-4-15 7:46	59 Clock In
2009-4-9 7:51:56	Clock In	2009-4-3 17:01:54	Clock Out	2009-4-15 17:08	:53 Clock Out
2009-4-9 8:02:15	Clock In	2009-4-4 7:43:54	Clock In	2009-4-16 8:00:	59 Clock In
2009-4-9 17:11:24	Clock Out	2009-4-6 7:38:36	Clock In	Count 2	7
2009-4-9 17:11:24	Clock In	2009-4-6 17:08:42	Clock Out		
2009-4-10 17:04:34	Clock Out	2009-4-7 7:45:16	Clock In		Simth 8105
2009-4-13 7:35:46	Clock In	2009-4-7 17:14:20	Clock Out	2009-4-1 7:23:0	
2009-4-13 17:27:06	Clock Out	2009-4-8 7:08:12	Clock In	2009-4-1 17:00:	59 Clock Out
2009-4-14 7:06:12	Clock In	2009-4-8 7:24:53	Clock In	2009-4-2 7:45:3	35 Clock In
2009-4-14 17:16:25	Clock Out	2009-4-8 17:20:05	Clock Out	2009-4-2 17:05:	16 Clock Out
2009-4-14 17:16:25	Clock In	2009-4-9 7:49:52	Clock In	2009-4-3 7:52:1	2 Clock In
2009-4-15 7:46:59	Clock Out	2009-4-9 7:51:56	Clock In	2009-4-3 17:01:	54 Clock Out
2003-4-10 17.00.03	CIOCKOUL	2009-4-9 8:02:15	Clock In	2009-4-4 7:43:5	54 Clock In

Attendance records exporting

If the user needs to lead out the attendance record, only need to click export, you can lead out the data inquired. (File format: *.txt, *.xls)

Click [Modify Log] and the log-modifying window will be called for reviewing the modification log of time and attendance records.

4.4.5. Attendance Calculating and Report

Inquiry of report form:

Click [Attendance Calculating and Report] in [Attendance] menu, the following window appears:



Select the beginning, the ending date and the department and employee that need to be calculated and then click [Calculate].

There are four Tabs of information after search and calculation which can be viewed



respectively:

[Attendance Exceptions]: Display the dealt result of the original attendance records;

[Shift Exceptions]: Display Employee's attendance result in the scheduled time period;

[Other Exceptions]: Display Employee's leave, out and overtime etc.;

[Calculated Items]: Display all Employee's calculated items such as "normal", "actual", "late", "early", "absent", "overtime" etc.

Notice: When dealing with "Out" calculation, there should be "Out back" and only "Out" and "Out back" in one shift can be calculated.

Working hours in the report="Actual" -"Late"-"Early"-"Out"

Exceptions of attendance records dealt with:

Open the attendance exceptions option card to deal with the records:

Department 👸 h			Time Range					
	ead office 🔽 🛛 🛛	Employee All	From 2010-12-	1 💌 0:00:0	01 😂 To 201	0-12-16 🔽 23:	59:59 😂	
ttendance Except	ions Shift Exception	s Other Exceptions Calculated II	ems					
Department	Employee No.	Name Date Time	State	Operation	Exception Desc	Timetable	Check	WorkCode
head office	8108	2010-12-01 08:56:	00 Clock In		Normal record	Day		(
head office	8108	2010-12-01 18:12:	00 Clock Out		Normal record	Day		1
head office	8108	2010-12-02 08:56:	00 Clock In		Normal record	Day		(
head office	8108	2010-12-02 18:12:			Normal record	Day		
head office	8108	2010-12-03 08:56:	00 Clock In		Normal record	Day		
head office	8108	2010-12-03 18:12:	00 Clock Out		Normal record	Day		
head office	8108	2010-12-06 08:56:	00 Clock In		Normal record	Day		
head office	8108	2010-12-06 18:12:	00 Clock Out		Normal record	Day		
head office	8108	2010-12-07 08:56:	00 Clock In		Normal record	Day		
head office	8108	2010-12-07 18:12:	00 Clock Out		Normal record	Day		
head office	8108	2010-12-08 08:56:	00 Clock In		Normal record	Day		1
head office	8108	2010-12-08 18:12:	00 Clock Out		Normal record	Day		
head office	8108	2010-12-09 08:56:	00 Clock In		Normal record	Day		1
head office	8108	2010-12-09 18:24:	00 Clock Out		Normal record	Day		1
head office	8108	2010-12-10 08:56:	00 Clock In		Normal record	Day		1
head office	8108	2010-12-10 18:24:	00 Clock Out		Normal record	Day		
head office	8108	2010-12-13 08:56:	00 Clock In		Normal record	Day		
head office	8108	2010-12-13 18:28:	00 Clock Out		Normal record	Day		
head office	8108	2010-12-14 08:56:	00 Clock In		Normal record	Day		
head office	8108	2010-12-14 18:32:	00 Clock Out		Normal record	Day		
head office	8108	2010-12-15 08:56:	00 Clock In		Normal record	Day		
head office	8108	2010-12-15 18:56:	00 Clock Out		Normal record	Day		
head office	8108	2010-12-16 08:56:	00 Clock In		Normal record	Day		1
head office	8108	2010-12-16 18:56	00 Clock Out		Normal record	Dav		(

We will see such mistakes as "state mistake", "invalid record", "repeated record", etc. are described. (If we revise to write down, click the right key and springs the

Department	Employee No.	Name	Date Time	State	Operation	Exception Desc	Timetable	Check	WorkCode
head office	8108		2010-12-01 08:56:00	Clock In		Normal record	Day		
head office	8108		2010-12-01 18:12:00	Clock Out		Normal record	Day		
head office	8108		2010-12-02 08:56:00	Clock In		Normal record	Day		
head office	8108		2010-12-02 18:12:00	Clock Out		Normal record	Day		
head office	8108		2010-12-03 08:56:00	Clock In		Normal record	Day		
head office	8108		Export Data			Normal record	Day		
head office	8108		Create report	for current gri	a	Normal record	Day		
head office	8108		Change state		•	Clock in	ay		
head office	8108		Delete selecte	d	Del	Clock out	ay		
head office	8108		Cancel operati	on for selected	Ctrl+Z	Qvertime in	ay		
head office	8108		Modify and sav	e Exception	Ctrl+S	Overtime out	ay		
head office	8108		Change filter.			Out	ay		
head office	8108		Columns		(Out back	ay		
head office	8108		Show all column		î	Normal record	Day		
head office	8108		2010-12-10-00.00.00			Normal record	Day		
head office	8108		2010-12-10 18:24:00	Clock Out		Normal record	Day		
head office	8108		2010-12-13 08:56:00	Clock In		Normal record	Day		
head office	8108		2010-12-13 18:28:00	Clock Out		Normal record	Day		
head office	8108		2010-12-14 08:56:00	Clock In		Normal record	Day		
head office	8108		2010-12-14 18:32:00	Clock Out		Normal record	Day		
head office	8108		2010-12-15 08:56:00	Clock In		Normal record	Day		
head office	8108		2010-12-15 18:56:00	Clock Out		Normal record	Day		
head office	8108		2010-12-16 08:56:00	Clock In		Normal record	Day		
head office	8108		2010-12-16 18:56:00	Clock Out		Normal record	Day		
head office	8102		2010/12/01 09:00:00	Clock In		Normal record	Dau		

following menu):

The definition of each option as follows:

[Export Data]: Export the data in the current attendance record list to a file in txt or xls format;

[Create report for current grid]: Generate report based on the data in the current



attendance record list for preview and print;

[Change state]: Change the selected attendance record to a new state. Manually deal with the attendance record according to the practical situation;

[Delete selected]: Mark the record as manual deleting, deleting when save it;

[Cancel operation for selected]: Cancel revision to this record;

[Deal with and save]: You can save the records that have been treated. If you want to see the changed records, you can click [modified record log] in system menu;

[Filter the record]: If there are too many records, you can filter them, and keep down the corresponding record you want;

[Columns]: Define the fields displayed. Meanwhile, the modification will take effect and be saved;

[Show all columns]: Display all fields in [Columns];

Note: We can manually modify the record as stated above to assure the veracity of the report according to the practical situation. If there is disoperation, the records can be recovered through [Modified Record Log] in [System].

Right Click in [Shift Exceptions] the following shortcut menu will pop up:

Export Data	
Create report for current grid	
Filtering Record	۲
Columns	۲
Show all columns	

[Other Exceptions], [Calculated Items] the following shortcut menu will pop up:

Export Data	
Create report for current grid	
Columns	•
Show all columns	

The operation is the same as stated above.

Report:

Click [Report] and the following menu will pop up:

Attendance Report Daily Report General Report Exceptions Report Create a Report For Current Grid

[Attendance Report]: Calculate employee's attendance record;

€∎@ # ×			_		
	Hea	d office attendanc	e record	l report	
				2009-04-01 To 2	009-04-16
Adminitrator Jake Ch	en 8001	2009-04-10 17:04:34	Clock Out	2009-04-07 17:14:20 Ch	ock Out
2009-04-01 07:23:05		2009-04-13 07:35:46	Clock In		Jock In
2009-04-01 17:00:55		2009-04-13 17:27:06	Clock Out		Jock In
2009-04-02 07:45:3		2009-04-14 07:06:12	Clock In		lock Out
2009-04-02 17:05:16		2009-04-14 17:16:25	Clock Out		llock In
2009-04-03 07:52:12		2009-04-15 07:46:59	Clock In	2009-04-09 07:51:56 C	Jock In
2009-04-03 17:01:5	Clock Out	2009-04-15 17:08:53	Clock Out	2009-04-09 08:02:15 C	llock In
2009-04-04 07:43:54	1 Clock In	2009-04-16 08:00:59	Clock In	2009-04-09 17:11:24 Cl	lock Out
2009-04-06 07:38:38	Clock In	Count: 27		2009-04-10 07:45:19 C	Clock In
2009-04-06 17:08:42	2 Clock Out	R&D King Jin	8103	2009-04-10 17:04:34 Cl	lock Out
2009-04-07 07:45:16	Clock In	R&D King Jin 2009-04-01 07:23:05	Clock In	2009-04-13 07:35:46 C	llock In
2009-04-07 17:14:20	Clock Out	2009-04-01 07:23:03	Clock Out	2009-04-13 17:27:06 Cl	lock Out
2009-04-08 07:08:12	2 Clock In	2009-04-02 07:45:35	Clock In	2009-04-14 07:06:12 C	Clock In
2009-04-08 07:24:53	B Clock In	2009-04-02 07:45:35	Clock Out	2009-04-14 17:16:25 Cl	lock Out
2009-04-08 17:20:05	5 Clock Out	2009-04-03 07:52:12	Clock In	2009-04-15 07:46:59 C	Clock In
2009-04-09 07:49:52	2 Clock In	2009-04-03 17:01:54	Clock Out	2009-04-15 17:08:53 Cl	lock Out
2009-04-09 07:51:58	6 Clock In	2009-04-04 07:43:54	Clock In	2009-04-16 08:00:59 C	Clock In
2009-04-09 08:02:15	5 Clock In	2009-04-06 07:38:36	Clock In	Count: 27	
2009-04-09 17:11:24	4 Clock Out	2009-04-06 17:08:42	Clock Out	P&D Mark Simth 810	5
2009-04-10 07:45:15	B Clock In	2009-04-07 07:45:16	Clock In		Jock In
2009-04-10 17:04:34		2009-04-07 17:14:20	Clock Out		lock Out
2009-04-13 07:35:48		2009-04-08 07:08:12	Clock In		Jock In
2009-04-13 17:27:06		2009-04-08 07:24:53	Clock In		lock Out
2009-04-14 07:06:12		2009-04-08 17:20:05	Clock Out		Jock In
2009-04-14 17:16:25	5 Clock Out	2009-04-09 07:49:52	Clock In		lock Dut
2009-04-15 07:46:55	B Clock In	2009-04-09 07:51:56	Clock In		Jock In
2009-04-15 17:08:53	3 Clock Out	2009-04-09 08:02:15	Clock In		Clock In

[Daily Report]: Calculate employee's daily attendance record;

														mpi	ove	e da	IIV P	еро	π										
									=										-						201	0-12-0	1 To 20	010-12	-16
Name	No.	01	112	03	04	05	06	07	08	09	10	11	12	13	4 1	5 16	17	18 1	19 2	0 21	22	23	24	25 2		27 28			
head offic		01						-			10			10		110		10 1		0 1 21							1.0	1	1.01
Judy	8102	1	1	7			7	BL	7	7	7		Т	7	/ .	17		T		T	1		Т	T		T	T	T	Г
Micheal	8103	1	1				1	1	1	1	1			1	1 .	1												-	
Lizzy	8108	1	1	1			1	1	1	1	1			1	1 1	1													

[General Report]: Calculate all employee's attendance items such as "normal", "actual", "late", "early", "absent", "overtime" etc;

					h		#									
Name yee Top Top Day Day Marule Hour Norm Minute Top Day Times Hour X head office					nea		ce au	enda	nce sta	u. ioia	u repo	<u></u>		2010	-12-01 To 20	010-12-16
No. Day Day Day Market Morate House House House House No. Market Morate Market House House No. N	Emp Name vee															
Judy 10102 122 121 151 982 Michael 10100 122 11 1 1 60 922 Lizy 10100 122 12 1 1 960 922 Lizy 10100 122 12 1 1 960 922 Subbandl 3 32 32 1 10 960 922	No.	Da	Jay	Day	Day	Minute	Minute	Hour	Hour	Minute	Day	Day	Times	Times	Hour	*
Micheal 9100 12 11 1 88 522 Lizy [0106 12 12 - - - 66 1000 Sublexal 3 36 95 1 15 200 962		_	10	10			_	_					_			054
Liczy 8108 12 12 96 1003 Subtotat 3 36 35 1 15 2 280 963		+							15	-		-	-			
Subtotal: 3 38 35 1 15 280 96%		+-					-	-	-	-	-	-	-			
		+							15							
		-														

[Exceptions Report]: Calculate employee's "out", "overtime", business leave/ personal leave" etc;

100% 🖆	• • • •	۱×						
Γ								
			head offic	ce attendance	exceptions	report		
						20	10-12-01 To 2010-12-16	
	Name	No.	Dat	e & Time	Exception type	Work long	Remark	1
	head offi	ice						
	Judy	8102	2010-12-04 18:00:00	2010-12-05 09:00:00	Free overtime	15:00:00		
	Judy	8102	2010-12-07 10:23:00	2010-12-07 13:56:00	Business leave	03:33:00	trtr	

[Create a Report for Current Grid]: Print preview of the current displayed grid. For example: Attendance Report



#4 k ? >	<					
head of:	tice ex	ceptions of	t shifts	report		-
Departmen t	n Name	Employee No.	Date	Timetable	On Duty	
head office	Judy	8102	2010-12-01	Day	2010-12-01 09:00	-
head office	Judy	8102	2010-12-01	Day	2010-12-01 09:00	-
head office	Judy	8102	2010-12-02	Day	2010-12-02 09:00	-
head office	Judy	8102	2010-12-05	Day	2010-12-06 09:00	-
head office	Judy	8102	2010-12-07	Day	2010-12-07 09:00	1
head office	Judy	8102	2010-12-08	Day	2010-12-08 09:00	-
head office	Judy	8102	2010-12-00	Day	2010-12-09 09:00	-
head office	Judy	8102		Day	2010-12-10 09:00	-
head office	Judy	8102	2010-12-10	Day	2010-12-13 09:00	1
head office	Judy	8102	2010-12-13	Day	2010-12-14 09:00	1
head office	Judy	8102	2010-12-15	Day	2010-12-15 09:00	1
head office	Judy	8102	2010-12-16	Day	2010-12-16 09:00	1
head office	Micheal	8103	2010-12-01	Day	2010-12-01 09:00	
head office	Micheal	8103	2010-12-02	Day	2010-12-02 09:00	_
head office	Micheal	8103	2010-12-03	Day	2010-12-03 09:00	_
head office	Micheal	8103	2010-12-06	Day	2010-12-06 09:00	4
head office	Micheal	8103	2010-12-07	Day	2010-12-07 09:00	-
head office	Micheal	8103	2010-12-08	Day	2010-12-08 09:00	-
head office head office	Micheal Micheal	8103 8103	2010-12-09 2010-12-10	Day	2010-12-09 09:00 2010-12-10 09:00	-
head office	Micheal	8103	2010-12-10	Day Day	2010-12-10 09:00	-
head office	Micheal	8103	2010-12-13	Day	2010-12-13 09:00	-
head office	Micheal	8103	2010-12-14	Day	2010-12-14 09:00	1
head office	Micheal	8103		Day	2010-12-16 09:00	1
head office	Lizzy	8108	2010-12-01	Day	2010-12-01 09:00	
head office	Lizzy	8108	2010-12-02	Day	2010-12-02 09:00	
hand office	Lizzy	8108				
head office	<	0100	2010-12-03	Day	2010-12-03 09:00	1
	<		2010-12-03			-
	<		Clock		ate Early	
₩ ₩? > Off Du	11. (11. 11. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	Clock In 10-12-01 09:00:00	Clock 2010-12-01 18	Out L.		UverTime
0ff Du 2010-12-01 17 2010-12-02 17	ity 7:30 20 7:30 20	Clock In 10-12-01 09-00-00 110-12-02 09-00:00	Clock 2010-12-01 18 2010-12-02 18	Out L: 00:00		- OverTime
0ff Du 2010-12-01 12 2010-12-02 17 2010-12-03 17	xty 7:30 20 7:30 20 7:30 20	Clock In 10-12-01 09:00:00 110-12-02 09:00:00	Clock 2010-12-01 18 2010-12-02 18 2010-12-03 18	Out L: :00:00 :00:00 :00:00		- OverTime
0 ff Dt 2010-12-01 17 2010-12-02 17 2010-12-03 17 2010-12-03 17	xty 7:30 20 7:30 20 7:30 20 7:30 20	Clock In 10-12-01 09:00:00 10-12-02 09:00:00 10-12-03 09:00:00 10-12-06 09:00:00	Clock 0 2010-12-01 18 2010-12-02 18 2010-12-03 18 2010-12-06 18	Out L: :00:00 :00:00 :00:00 :00:00		OverTime
0ff Du 2010-12-01 17 2010-12-02 17 2010-12-03 17 2010-12-06 17 2010-12-06 17	1	Clock In 10-12-01 09:00:00 10-12-02 09:00:00 10-12-03 09:00:00 10-12-06 09:00:00 10-12-07 08:00:00	Clock 0 2010-12-01 18 2010-12-02 18 2010-12-03 18 2010-12-06 18 2010-12-07 18	Out L: :00:00 :00:00 :00:00 :00:00 :00:00		OverTime
Off Du 2010-12-01 17 2010-12-01 17 2010-12-03 17 2010-12-03 17 2010-12-06 17 2010-12-06 17	xty 7:30 20 7:30 20	Clock In 10-12-01 09:00:00 10-12-02 09:00:00 10-12-03 09:00:00 10-12-03 09:00:00 110-12-03 09:00:00 110-12-08 09:00:00	Clock 2010-12-01 18 2010-12-02 18 2010-12-03 18 2010-12-07 18 2010-12-08 18	Out L. :00:00 :00:00 :00:00 :00:00 :00:00		
	ty 130 20 130 20 1	Clock In 10.12.01 09:00.00 10.12.02 09:00.00 10.12.03 09:00.00 10.12.06 09:00.00 10.12.07 08:00.00 10.12.09 09:00.00	Clock (2010-12-01 16 2010-12-02 16 2010-12-02 16 2010-12-06 16 2010-12-06 18 2010-12-08 16 2010-12-08 16 2010-12-08 16	Out L. 00:00 00:00 00:00 00:00 00:00 00:00 00:00 00:00 00:00 00:00		
	11y 130 20 130 20 1	Clock In 10.12.01 09.0000 10.12.02 09.0000 10.12.03 09.0000 10.12.06 09.0000 10.12.06 09.0000 10.12.07 09.0000 10.12.09 09.0000	Clock 1 2010-12-01 16 2010-12-02 16 2010-12-03 16 2010-12-07 16 2010-12-07 16 2010-12-09 16 2010-12-09 16 2010-12-09 2010-12-01 06	Out L. :00:00 :00:00 :00:00 :00:00 :00:00 :00:00 :00:00 :00:00 :00:00		OverTiac
Off Du 2010-12-01 12 2010-12-02 17 2010-12-02 17 2010-12-03 12 2010-12-03 12 2010-12-03 12 2010-12-03 12 2010-12-03 12 2010-12-03 12	ty 11 y 130 22 130 22 100 20 100	Clock In 10-12-01 09:000 00 10-12-02 09:00 00 10-12-03 09:00 00 10-12-03 09:00 00 10-12-04 09:00 00 10-12-04 09:00 00 10-12-09 09:00 00 10-12-04 09:00 00	Clock (2010-12-01 fit 2010-12-01 fit 2010-12-03 fit 2010-12-06 fit 2010-12-06 fit 2010-12-06 fit 2010-12-06 fit 2010-12-06 fit 2010-12-10 fit 2010-12-10 fit	Out L. 00000 00000 00000 00000 00000 00000 00000 00000 00000		OverTine
A A A C A A A C A A A C A	xty /30 20 /30 20 /	Clock In 10-12-01 09:00:00 10-12-03 09:00:00 10-12-03 09:00:00 10-12-08:09:00:00 10-12-09:00:00 10-12-09:00:00 10-12-09:00:00 10-12-10:09:00:00 10-12-10:09:00:00	Clock (2010-12-01 18 2010-12-01 18 2010-12-02 18 2010-12-03 18 2010-12-03 18 2010-12-03 18 2010-12-03 18 2010-12-01 18 2010-12-01 18 2010-12-01 18 2010-12-01 18	Out L. 00.00 000.00		OverTine
Off Du 2010-12-01 12 2010-12-01 12 2010-12-02 12 2010-12-02 12 2010-12-03 12 2010-12-03 12 2010-12-03 12 2010-12-03 12 2010-12-10 12 2010-12-10 12 2010-12-10 12 2010-12-10 12	<pre>ty file file file file file file file file</pre>	Clock In 10-12-01 09:00:00 10-12-02 09:00:00 10-12-03 09:00:00 10-12-03 09:00:00 10-12-06 09:00:00 10-12-09:00:00 10-12-09:00:00 10-12-09:00:00 10-12-13:09:00:00 10-12-14:09:00:00	Clock 1 2010-12-01 16 2010-12-01 16 2010-12-03 16 2010-12-03 16 2010-12-03 16 2010-12-03 16 2010-12-03 16 2010-12-03 16 2010-12-03 16 2010-12-13 16 2010-12-13 16 2010-12-13 16 2010-12-14 16	Out L. 00.00 0		OverTine
	ty 130 20 130 20 1	Clock In 10-12-01 09:00 00 10-12-02 09:00 00 10-12-02 09:00 00 10-12-06 09:00 00 10-12-07 06:00 10-12-07 06:00 10-12-07 06:00 10-12-10 09:00 00 10-12-10 09:00 00 10-12-10 09:00 00 10-12-16 09:00 00	Clock (2010-12-01 f8 2010-12-01 f8 2010-12-02 f8 2010-12-02 f8 2010-12-03 f8 2010-12-04 f8 2010-12-04 f8 2010-12-04 f8 2010-12-04 f8 2010-12-04 f8 2010-12-14 f8 2010-12-14 f8 2010-12-14 f8	Dut L. 00.00 0		OverTine
Off Du 2010-12-01 12 2010-12-01 12 2010-12-02 12 2010-12-02 12 2010-12-03 12 2010-12-03 12 2010-12-03 12 2010-12-03 12 2010-12-10 12 2010-12-10 12 2010-12-10 12 2010-12-10 12	<pre>xty xty xty xty xty xty xty xty xty xty</pre>	Clock In 10-12-01 09:00:00 10-12-02 09:00:00 10-12-03 09:00:00 10-12-03 09:00:00 10-12-06 09:00:00 10-12-09:00:00 10-12-09:00:00 10-12-09:00:00 10-12-13:09:00:00 10-12-14:09:00:00	Clock 1 2010-12-01 16 2010-12-01 16 2010-12-03 16 2010-12-03 16 2010-12-03 16 2010-12-03 16 2010-12-03 16 2010-12-03 16 2010-12-03 16 2010-12-13 16 2010-12-13 16 2010-12-13 16 2010-12-14 16 2010-12-14 16	Dut L. 00.00 0		OverTine
	Image: Non-Strain Strain Str	Clock In 10-12-01 09:00 00 10-12-02 09:00 00 10-12-03 09:00 00 10-12-06 09:00 00 10-12-06 09:00 00 10-12-09 09:00 00 10-12-09 09:00 00 10-12-13 09:00 00 10-12-14 09:00 00 10-12-14 09:00 00 10-12-16 09:00 00 10-12-16 09:00 00 10-12-16 09:00 00	Clock 1 2010-12-01 16 2010-12-01 16 2010-12-02 16 2010-12-02 16 2010-12-06 16 2010-12-06 16 2010-12-06 16 2010-12-06 16 2010-12-06 16 2010-12-14 16 2010-12-16 16 2010-12-16 16	Dut L. 00.00 0		OverTime
MA N? > Off Du 2010-12-01 12 2010-12-02 12 2010-12-02 12 2010-12-03 12 2010-12-03 12 2010-12-03 12 2010-12-04 12 3010-12-04 12 3010-12-04 12 3010-12-04 301 3010-12-04 301 3010-12-04 301 3010-12-04 301 3010-12-04 301 3010-12-04 301 3010-12-04 301 3010-12-04 301 3010-12-04 301 3010-12-04 301 3010-12-04 301 3010-12-04 301 3010-12-04 301 3010-12-04 301 3010-12-04 301 3010-12-04 301 3010-12-04 301 3010-12-04 301 3010 3010-12-04 301 3010-12-04 301 3010-12-04 301 3010-12-04 301 3010 3010 301 3010 301 3010 301 301	Image: Non-Strain Strain Str	Clock In 10:12:01 09:00:00 10:12:02 09:00:00 10:12:02 09:00:00 10:12:03 09:00:00 10:12:03 09:00:00 10:12:04 09:00:00 10:12:04 09:00:00 10:12:14 09:00:00 10:12:14 09:00:00 10:12:14 09:00:00 10:12:14 09:00:00 10:12:16 09:00:00 10:12:16 09:00:00 10:12:16 09:00:00 10:12:16 09:00:00 10:12:16 09:00:00 10:12:10 06:53:00 10:12:00 06:53:00	Clock 1 2010-12-01 16 2010-12-01 16 2010-12-03 16 2010-12-03 16 2010-12-03 16 2010-12-06 16 2010-12-04 16 2010-12-04 16 2010-12-15 16 2010-12-15 16 2010-12-04 16 2010-12-04 16 2010-12-06 16	Dut L. 00.00 0		OverTine
Ah №? > Off Du 2010-12:01 12 2010-12:02 13 2010-12:03 12 2010-12:03 12 2010-12:04 2010-12:04 12 2010-12:04 2010-12:04 2010 2010-12:04 2010-12:04 1	1.1 4 7:30 22	Clock In 10.12.01 09:00 00 10.12.02 09:00 00 10.12.03 09:00 00 10.12.03 09:00 00 10.12.03 09:00 00 10.12.09 09:00 00 10.12.09 09:00 00 10.12.14 09:00 00 10.12.04 08:53 00 10.12.06 08:53 00	Clock (2016-12-01 16 2016-12-01 16 2016-12-01 16 2016-12-02 16 2016-12-03 16 2016-12-04 16 2016-12-04 16 2016-12-04 16 2016-12-14 16	Dut L. 0000 L. 000000		OverTime
Off Du 2010-12-01 12 2010-12-01 12 2010-12-02 12 2010-12-02 12 2010-12-03 12 2010-12-03 12 2010-12-03 12 2010-12-03 12 2010-12-04 12 2010-12-14 12 2010-12-14	It It atty 2 7:30 2	Clock In 10:12:01 09:00.00 10:12:02 09:00.00 10:12:03 09:00.00 10:12:03 09:00.00 10:12:04 09:00.00 10:12:04 09:00.00 10:12:04 09:00.00 10:12:04 09:00.00 10:12:14 09:00.00 10:12:16 09:00 10:12:16 09:00	Clock 2010-12-01 16 2010-12-01 16 2010-12-02 16 2010-12-03 16	Dut L. 0010 L. 00000 0000 00000 00000 00000 00000 00000 0000 00000 00000 00000 0000 00000 0000 0000 0000 0000 0000 00000 00000 00000 0000 00000 0000 00000 00000 00000 00000 00000000		OverTine
A > 2 Off D O	It It atty 22 7:30 23 <td>Clock In 10:12:01 09:00:00 10:12:03 09:00:00 10:12:03 09:00:00 10:12:03 09:00:00 10:12:03 09:00:00 10:12:03 09:00:00 10:12:03 09:00:00 10:12:03 09:00:00 10:12:14 09:00 10:12:00 06:53:00 10:12:00 06:53:00 10:12:00 06:53:00</td> <td>Clock (2010-12-01 18 2010-12-01 18 2010-12-03 16 2010-12-03 16 2010-12-03 16 2010-12-03 16 2010-12-04 18 2010-12-04 18 2010-12-04 18 2010-12-14 18 2010-12-15 18 2010-12-04 18 2010-12-04 18 2010-12-04 18 2010-12-04 18 2010-12-04 18 2010-12-04 18 2010-12-04 18 2010-12-04 18</td> <td>Dut L 00.00 00.00 00.03.36 00.36</td> <td></td> <td>OverTine</td>	Clock In 10:12:01 09:00:00 10:12:03 09:00:00 10:12:03 09:00:00 10:12:03 09:00:00 10:12:03 09:00:00 10:12:03 09:00:00 10:12:03 09:00:00 10:12:03 09:00:00 10:12:14 09:00 10:12:00 06:53:00 10:12:00 06:53:00 10:12:00 06:53:00	Clock (2010-12-01 18 2010-12-01 18 2010-12-03 16 2010-12-03 16 2010-12-03 16 2010-12-03 16 2010-12-04 18 2010-12-04 18 2010-12-04 18 2010-12-14 18 2010-12-15 18 2010-12-04 18 2010-12-04 18 2010-12-04 18 2010-12-04 18 2010-12-04 18 2010-12-04 18 2010-12-04 18 2010-12-04 18	Dut L 00.00 00.00 00.03.36 00.36		OverTine
	Image: Non-Section 1 Image: Non-Section 2 1:30 20 1:30 20 1:30 20 1:30 20 1:30 20 1:30 20 1:30 20 1:30 20 1:30 20 1:30 20 1:30 20 1:30 20 1:30 20 1:30 20 1:30 20 1:30 20	Clock In 10-12-01 09:00 00 10-12-02 09:00 00 10-12-03 09:00 00 10-12-03 09:00 00 10-12-07 09:00 00 10-12-07 09:00 00 10-12-07 09:00 00 10-12-16 09:00 00 10-12-00 06:53 00 10-12-00 06:53 00 10-12-10 06:53 00 10-	Clock 2010-12-01 16 2010-12-01 16 2010-12-02 16 2010-12-03 16	Cout L. 0010 L. 00100 - 000000		OverTine
A > 2 Off D O	It It atty 2 7:30 2	Clock In 10:12:01 09:00:00 10:12:02 09:00:00 10:12:03 09:00:00 10:12:03 09:00:00 10:12:03 09:00:00 10:12:07 09:00 10:12:07 09:00 10:12:07 09:00 10:12:13 09:00 10:12:13 09:00 10:12:14 09:00 10:12:14 09:00 10:12:04 09:03 10:12:04 09:04 10:12:05 10:12:	Clock 1 2010-1201 18 2010-1201 18 2010-1202 18 2010-1202 18 2010-1203 16 2010-1204 18 2010-1204 18	Dut L. 00.00 0		OverTine
	Image: Constraint of the second sec	Clock In 10-12-01 09:00.00 10-12-02 09:00.00 10-12-03 09:00.00 10-12-03 09:00.00 10-12-07 09:00.00 10-12-07 09:00.00 10-12-09:00.00 10-12-09:00.00 10-12-10 09:00.00 10-12-10 09:00.00 10-12-10 09:00.00 10-12-10 09:00.00 10-12-10 09:05.30 10-12-09:05.30 10-12-09:05.30 10-12-09:06:35.00 10-12-09:06:35.00 10-12-09:06:35.00 10-12-09:06:35.00 10-12-09:06:35.00 10-12-09:06:35.00 10-12-10:06:35.	Clock 2010-12-01 (8 2010-12-02 (8 2010-12-02 (8 2010-12-02 (8 2010-12-03 (8 2010-12-03 (8 2010-12-04 (8 2010-12-04 (8 2010-12-04 (8 2010-12-04 (8 2010-12-04 (8 2010-12-04 (8 2010-12-04 (18 2010-12-04 (18) 2010-12-04	Court L. 00000		OverTine
A > 2 Off D O	tr tr xty 2 xii 2 xiii 2 xiiii 2 xiiii 2 xiiiii 2 xiiiii 2 xiiiiiiiiii 2 xiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii	Clock In 10:12:01 09:00 00 10:12:02 09:00 00 10:12:03 09:00 00 10:12:03 09:00 00 10:12:06 09:00 00 10:12:07 08:00 00 10:12:07 08:00 00 10:12:07 08:00 00 10:12:13 09:00 00 10:12:14 09:00 00 10:12:14 09:00 00 10:12:10 09:00 00 10:	Clock 1 2010-12-01 18 2010-12-01 18 2010-12-01 18 2010-12-03 2010-12-03 2010-12-03 2010-12-04 2010-	Dut L. 00.00 0		OverTine
	Ib. Ib. aty C (30) Z (30) Z (30) Z	Clock In 10-12-01 09:00.00 10-12-02 09:00.00 10-12-03 09:00.00 10-12-03 09:00.00 10-12-07 09:00.00 10-12-07 09:00.00 10-12-09:00.00 10-12-09:00.00 10-12-10 09:00.00 10-12-10 09:00.00 10-12-10 09:00.00 10-12-10 09:00.00 10-12-10 09:05.30 10-12-09:05.30 10-12-09:05.30 10-12-09:06:35.00 10-12-09:06:35.00 10-12-09:06:35.00 10-12-09:06:35.00 10-12-09:06:35.00 10-12-09:06:35.00 10-12-10:06:35.	Clock 2010-12-01 (8 2010-12-02 (8 2010-12-02 (8 2010-12-03 (8 2010-12-03 (8 2010-12-04 (8 2010-12-04 (8 2010-12-04 (8 2010-12-04 (8 2010-12-04 (8 2010-12-04 (8 2010-12-04 (18 2010-12-04 (18) 2010-12-04 (18) 2010-12-0	Court L. 00.00		OverTine
A A	h. h. tr c 1 c	Clock In 10-12-01 09:00:00 10-12-02 09:00:00 10-12-03 09:00:00 10-12-03 09:00:00 10-12-07 06:00:00 10-12-07 06:00:00 10-12-09:00:00 10-12-09:00:00 10-12-09:00:00 10-12-10 09:00:00 10-12-10 09:00:00 10-12-10 09:00:00 10-12-10 09:00:00 10-12-10 09:00 10-12-00 08:53:00 10-12-00 (8:53:00) 10-12-00 (8:53:00) 10-12-00 (8:53:00) 10-12-10 (8:53:00) 10-12-10 (8:53:00) 10-12-11 08:53:00 10-12-11 08:53:00 10-12-10 0	Clock 2010-12-01 (6 2010-12-02 (6 2010-12-02 (6 2010-12-02 (6 2010-12-03 (6 2010-12-03 (6 2010-12-04 (6) 2010-12-04 (6 2010-12-04 (6) 2010-12-04 (6) 2010-1	Dout L. 00000 00000 00000 00000 00000 00000 00000 00000 00000 00000 00000 00000 00000 00000 00000 00000 00000 00000 00000 00000 00000 00000 000336 00336 00336 00336 00336 00336 00336 00336 00337 101336 101336 101336 101336 101336 101337 101336 101336 101336 101337 101336 101336 101336 101337 101336 101336 101336 101337 101336 101338 101336 101337 101336		OverTine
A A	h. h. tr C 1 C	Clock In 10:1201 09:00 00 10:1202 09:00 00 10:1202 09:00 00 10:1203 09:00 00 10:1203 09:00 00 10:1203 09:00 00 10:120 09:00 00 10:120 09:00 00 10:1210 09:00 00 10:1210 09:00 00 10:1210 09:00 00 10:1210 09:00 00 10:1210 09:00 00 10:120 09:00 00 10:120 09:00 00 10:120 09:00 00 10:120 09:00 00 10:120 09:00 00 10:120 09:00 00 10:1210 09:00 00 10:120 09:000	Clock 1 2010-12-01 18 2010-12-01 18 2010-12-03 18 2010-12-14 18 2010-12-14 18 2010-12-16 17 2010-12-16 17	Dut L 000.00 00.00 000.00 00.00 000.00 00.00 000.00 00.00 000.00 00.00 000.00 00.00 000.00 00.00 000.00 00.00 000.00 00.00 000.00 00.00 000.36 00.36 003.36 00.36 003.36 00.36 003.36 00.36 003.36 00.36 003.36 10.36 003.36 10.36 003.36 10.37 003.36 10.38 003.36 10.38 103.36 10.38 103.36 10.38 103.36 11.200		OverTine
A	Ib. Ib. Ib.	Clock In 10-12-01 09:00 00 10-12-02 09:00 00 10-12-03 09:00 00 10-12-03 09:00 00 10-12-07 08:00 00 10-12-07 08:00 00 10-12-09 09:00 00 10-12-09 09:00 00 10-12-09 09:00 00 10-12-10 09:00 00 10-12-00 08:53 00 10-12-00 08:53 00 10-12-00 08:53 00 10-12-00 08:53 00 10-12-10 08:55 00 10-12-10 08:55 00 10-12-10 08:55 00 10-12-00 08:55 00 10-	Clock 2010-12-01 2010-12-02 2010-12-02 2010-12-02 2010-12-02 2010-12-03 2010-	In In 00ut L 000.00 000.00 000.00 000.00 000.00 000.00 000.00 000.00 000.00 000.00 000.00 000.00 000.00 000.00 000.00 000.00 000.00 000.00 000.00 000.00 000.00 000.00 000.00 000.00 000.00 000.00 000.00 000.00 000.03 000.36 000.36 000.36 000.36 000.36 000.36 000.36 000.36 000.36 000.36 000.36 000.36 000.36 000.36 000.36 000.36 000.36 000.36 000.36 000.37 000.36 000.36 000.36 000.37 000.36 000.37 000.36 000.37 000.		0verTine
• • • • • • • • • • • • • • • • • • •	h. h. tr C 1 C	Clock In 10:1201 09:00 00 10:1202 09:00 00 10:1202 09:00 00 10:1203 09:00 00 10:1203 09:00 00 10:1203 09:00 00 10:120 09:00 00 10:120 09:00 00 10:1210 09:00 00 10:1210 09:00 00 10:1210 09:00 00 10:1210 09:00 00 10:1210 09:00 00 10:120 09:00 00 10:120 09:00 00 10:120 09:00 00 10:120 09:00 00 10:120 09:00 00 10:120 09:00 00 10:1210 09:00 00 10:120 09:000	Clock 1 2010-1201 16 2010-1201 16 2010-1203 16 2010-1203 16 2010-1203 16 2010-1204 16 2010-1204 16 2010-1204 16 2010-1214 16 2010-1214 16 2010-1214 16 2010-1214 16 2010-1204	Dout L 00000 00000 00000 00000 00000 00000 00000 00000 00000 00000 00000 00000 00000 00000 00000 00000 00000 00000 000336 00336 00336 00336 00336 00336 00336 01336 01336 01326 10132 11200 11200 11200		OverTine

Print Report:

Toolbar of report preview is as the following picture:

🕇 100% 🗃 🖬 🎒 🚧 🗙



Adjust the ratio of preview content;

Open the existing report file;

Find the report file (*.frp) to be opened, select it and click [Open] to see the report.

Save report to file;

Select the directory to save the report to, enter the file name and click [Save] to complete the backup of the report for future check or copying to another computer for printing; extension file name is "*.frp".



Print Report;



× Close Preview

Data Export:

Click [Export] and the displayed data of grid in the current window will be exported to a file (*.txt or *.xls). It has the same function as [Export Data] when right clicking in each grid.

Exceptions dealt with:

Click [Exception] and the following menu will pop up:

Append Record
Late/Early Collectively
<u>B</u> usiness Leave/Leave
Modified Record Log

Click options one by one in the menu and the following modules will pop up respectively: [Append record], [Late/Early Collectively], [Business Leave/leave] and [Modified Record Log]. If the calculation result is incorrect for some employee, first, please check whether there is leave or forgetting Clock in or Clock out for this employee. If there is, please deal with the records through above menu. Please refer to the next chapter for more details.

4.5. Deal with Exceptions

Click [Exception] on the main menu, following springs:

Away On Business/Leave	Ctrl+L
Append Record	Ctrl+W
Append Record Collectively	
Dealing With Collectively La	te/Early

4.5.1.Away on Business/ Leave

When the employee can't punch in/out because of going out on business or asking for leave, in order to guarantee the exactness of the final statistics, we should make these settings through this function. Click [Away on Business/ Leave] in [Exception] menu, the following interface springs:

🕗 Employee B	ie away on i	Business &	Asking for Leave			
Append Delete	Nodify Save	Cancel Se	March <u>R</u> eport			
Department 🕷 Employee No. 🌆 Leave Type Reason	head office	v v	Time Range Beginning Time 2010-12-12 Ending Time 2010-12-12			
Department	Employee No.	Name	Beginning Time	Ending Time	Leave Type	Reason
▶						
<			Ш			>

Deal with employee away on business / leave:

Click [Append], then select the proper department, employee ID, beginning time, ending time, leave type, and click save when ready.



Modification of employee away on business or leave:

Select the appointed employee whom you want to make this modification to, and click [Modify]. Then you can modify the relative information; click [Save] when ready.

Deletion of employee away on business or leave

Select the appointed employee and the relative information you want to make this deletion, and click [Delete].

4.5.2. Append Record

If a employee didn't punch in because of special reason, you can use this function to append the forgetting attendance record. Click [Append Record] in [Exception] menu, the following window Springs:

01	ppend re	cord	×
	Department	📸 head office 💌	
E	mployee No.	×	
	State	Clock in 🗸	
	Record Time	2010-12-17 💌 8:00:00 🗘	
		Append Close	

Select the relative items and click [Append] when ready.

4.5.3. Append Record Collectively

When part or all of the employees in a department did not punch in/out because of some reasons, please you can use this function to add punching in/out collectively, click [Exception]--[Append Record Collectively], following springs:



Select the department, thus the employees in the department will be listed in the employee list, select the employees whom you want to add records on to, then select record's state and time, then click [OK] to finish.

4.5.4. Dealing with Collectively Late / Leaving

When collectively coming late / leaving early takes place for some allowable reasons, you can use this function. Click [Dealing with Collectively Late / Leaving] in [Exception] menu. The following springs:

Dealing with collectively Late/I Deal with O Coming Late O Leaving Early			Employees list		All
Coming Late	Coaving cany		Employee No.	Name	~
Ignore clock in record			8102	Judy	
0010 40 47			8103	Micheal	
From 2010-12-17	8:00:00	÷	8108	Lizzy	
To 2010-12-17	10:00:00	\$			
The modified clock in	time				
2010-12-17	7:50:00	\$			
Search Employees					
 Department 	🐧 head office	~			
O Shift	lormal	~			~
				<u>o</u> k	Cancel
		0%			

Steps as follows;

- 1. Click "Dealing with Collectively Late/Early";
- 2. Select time range for "Ignore clock in record";
- 3. Select the "The modified clock in time"
- 4. Search employee through department or shift;
- 5. Select employee;
- 6. Click [OK] to confirm.

4.6. Data Maintenance

Click [Data Maintenance] on the main menu, following springs:



4.6.1.Import Employee List

Click [Import Employee List] in [Data Maintenance] menu. Pop up the following window:

2 Import Employe	e List	
Select a file to import File:		
Failures in importing:		
<		>
	<u>0</u> k	

Click 🔲 to select the personnel list file for importing.
Look in:	C Backgroup	nanagement.	~	G 🦻	• 🖽 💙	
Recent Desktop Wy Documents Hy Cooputer	Tenplate					
My Network						

Select the right file which can be in *.txt or MS Excel (*.xls) formats, then click [open]to get back to above window, click [OK] to start!

The definition of (*.txt) data format as follows:

This format of file only can import the employee info of "ID, Name, and department";

The format of data must follow: Employee ID + Tab + Name + Tab + Department;

The information each employee takes one line, no blank line between one another.

This format of file can import the employee info includes: "Employee No., Name, Department, position, Employ Date, Telephone, Address, Sex, Language, Comment"; put those items on the head line and input the items by order, the order can't be changed.

4.6.2. Import Attendance Record

Click [Import Attendance Record] in [Data Maintenance] menu, Springs the following window:

🕗 Import Attend	lance Record	X
Select a file to import File		
Failures in importing:		
		~
<		 2
	<u>0</u> k	

Click 🔲 to select the attendance record file for importing, and click [OK] to start.

4.6.3.Clear Obsolete Data

Click [Clear Obsolete Data] in [Data Maintenance] menu, springs the following window:



After your system is used for a long time, you will get a large number of obsolete data in the database. It ties up the hard disk space and influences your system operation speed. At this moment you can use this function to clear these useless data.

Select the ending date for your data clearing. And click [clear] to complete this operation, after the clearance, the system will prompt asking you to compress the database as following shows; select [OK] to finish.

Note: you can only clear the data of one month ago.

4.6.4.Compress Database

Click [Compress Database] in [Data Maintenance] menu to compress and repair the database

4.6.5.Backup Database

For ensuring the safety of data and recoverability, we advise you to back up the database regularly. Click [Backup Database] in [Data Maintenance] menu, then select the route to backup the database. Click [Save] when ready.

Back up the database manually: Copy the Att2003.mdb from the installation directory to the route you want to backup the database, so if the system collapses, you just copy Att2003.mdb to installation directory over again after re-installation.

4.6.6.Initialize System

Click [Initialize System] in [Data Maintenance] to initialize the system.

Note: After the system is initialized, all information will be lost; the system will get back to the state when just installed. Please make sure that you want to initialize the system.

4.7. Device Management

Click [Device Management] on the main menu, following springs:



4.7.1.Connect to Communication Management Software

Click [Device Management]-[Connect to Time Attendance Machine], the system will prompt the communication interface between the software and the time attendance machine, control the current machine which connected with the computer, also can collect the records from the machine, upload and download employee information and fingerprint templates, or clear the old data on the attendance machine, modify the time on the machine. More details please reference the [Communication] chapter.





5. Data Communication

Select [Start] - [All programs] - [Intelligent Management System] - [Communication Management Software], the main interface will show as following (default password is empty):

English	▼) ∓ Com	munication Management Soft	ware V4.0.4	
Device Management	Record Supervision	Employees Management	Record Management	J Disk Management
Add Modify Delete Device Device Device Devices Managment	Synchronize time	r Download new record all record Device Management	Backup Resume Employees Employees	
All Groups Group1 Group2 Group3 Group4 Group5				
•			0%	Stop:
			0 %	Stop .::

If the time attendance software's login password is not empty, you should enter the password firstly.

	System Log	gining	
R	Management PWD:	<u>о</u> к	Cancel

Enter the password and click the button [OK] to login.

If you enter the wrong password 3 times, the software will automatically close. When you enter a wrong password, a message box pops up as follows:



Click the button [OK]. And then try to enter the correct password.

5.1. T&A Machine Management

5.1.1.Add Unit

Click the button [Add Unit]. Following windows pops up:

Device Type Device Type Device Type Facial Verify FacePass	×
Terminal Info Terminal No. 1 Device ID 1 (Check Device ID from the device menu) Device Name 1 Device Group Group1 T&A status Real status	Communication Parameter IP address Comm PwD Comm Port 33302
	<u>D</u> K <u>C</u> ancel

Facial Verify FacePass Pro

Device Type: There are two device types one is Fingerprint/Card Verify, the other is Facial Verify FacePass Pro. Please pick a device type and select.

Terminal No: This number can be set as you like.

Device ID: Device ID is the uniquely identification for management software. Please set it differently.

Device Name: You can set it as you like.

Device Group: This group is used to manage the terminal machine.

T&A Status: There are three options: Actual Status, on duty and off duty. When we set it as "Actual Status" the attendance records' status in the software are as same they are in the device. If you set it as "ON Duty", all the records' status which is from this machine will be "On duty".

IP address: The FacePass Pro terminal's IP address.

Comm PWD: It is the FacePass Pro terminal's management password.(Default is :12345)

Comm Port: The FacePass Pro terminal's TCP/IP communication port. Please check the port number in the terminal.

Notice: Create FacePass Pro terminal must input correct IP address, terminal management password and Communication port.

Click the button [OK] to save the information. Can see a saffron yellow terminal icon

(1[Head office]

. Please move the cursor to the terminal icon it displays as follows:

The connection state should be normal. So please do communication operation with machine (i.e. Synchronize time). When connection state is normal, terminal icon will become blue (

5.1.2. Modify Unit

Choose the terminal and then click [Modify Unit], the following window pops up:

📑 Terminal Management	
Device Type Device Type Facial Verify FacePass	•
Terminal Info Terminal No. 1 Device ID 1 (Check Device ID from the device menu) Device Name 1 Device Group Group1 T&A status Real status	Communication Parameter IP address Comm PWD Comm Port 33302
<u></u>	<u>O</u> K <u>C</u> ancel

Modify the information and then click the button [OK] to save the modification. Click the button [Cancel] to cancel the modification.

Notice: If the "No" is already exist in the software, following message box pops up:

System	prompt	<
?	Already have the machine number and the device I	D
	<u>()</u>	

Click the button [OK] to set the Unit information again.

5.1.3. Delete Unit

Choose the T&A unit and then click the button [Delete Unit]. Following message box pops up:

Please	confirm
2	This operation will deal with the selected machine: 1[Headoffice] Are you sure to continue?
	Cancel

Click the button [OK] to delete or click the button [Cancel] to cancel.

5.1.4. Right Key Menu

Select terminal icon right click and perform the menu:

[Select All]: Select all the terminals.

[Reverse Selection]: Select the terminals which are not selected. Cancel the terminals which are selected.



5.1.4.1. Device Information

Click "Device information", display device information as follows:

Device Information	
User Number	8
Fingerprint Number	
Password Number	2
Card Number	
New records Number	2
Total records Number	2
Firmware Version	2.2.8
Device SN	0560100013400002
	<u>R</u> etrieve <u>C</u> ancel

Click the button [Retrieve] to retrieve the terminal information. Click the button [Cancel] to close the window.

5.1.5.Synchronize Time

Synchronize the terminal's time with the computer time. Click the button [Synchronize Time]. Following message box pops up:



Click the button [OK] to confirm or click the button [Cancel] to cancel.

Some operation information displays in the main interface as follows:

[2009-03-18 13:49:24]Synchronizing time... [2009-03-18 13:49:25]1[Head office] Synchronization successful!

5.1.6. Terminal Parameter Settings

Click the button [Terminal Parameter]. The [Terminal parameter settings] interface pops up:

The "Initialize unit" and "Clear record" function suit for the FacePass terminal.



User Manual

Device Parameter Settings	×
Matching Precision Image: Control of	Time format
Ring Function Wiegand Mode Fixed Wiegand Area Code(0-254) Lock Relay Time(0-15 second) Door Contact Alarm Delay(0-250)	Add Card Delete Card
	Company name Company Address Company Tax
FacePass device with	out above functions.
Initialize Device Clear Device	Display Default setting

[Initialize unit]: The device will resume to factory settings. All data will be cleaned up. Attention should be taken for this operation!

Click the button [Initialize Unit]. Following message box pops up:

Please	confirm
2	This operation will deal with the selected machine: 1[Meadoffice] Are you sure to continue?
	OK Cancel

Click the button [OK] to confirm or click the button [Cancel] to cancel.

Some operation information displays in the main interface as follows:

[2009-03-18 13:52:59]Initializing...

[2009-03-18 13:53:01]1[Head office] Initialization successful!

[Clear Device]: Click the button [Clear Device]. Following message box pops up:



Click the button [OK] to confirm or click the button [Cancel] to cancel.

Following information shows on the main interface:

[2009-03-18 15:14:15]Clearing time attendance records...

[2009-03-18 15:14:16]1[Head office] Initialization successful!

5.1.7. Download New Record

Click the button [Download new record]. Following message box pops up:



Click the button [OK] to confirm or click the button [Cancel] to cancel.

Following information shows on the main interface:

[2009-03-18 15:12:11]1[Head office] Reading attendance records...

[2009-03-18 15:12:12]1[Head office] Read the records completed, Records: 4 Read successfully: 4

5.1.8. Download All Record

Click the button [Download all record]. Following message records pops up:

Please	confirm
2	This operation will deal with the selected machine: 1[Headoffice] Are you sure to continue?
	OK Cancel

Click the button [OK] to confirm or click the button [Cancel] to cancel.

Following information shows on the main interface:

[2009-03-18 15:13:23]1[Head office] Reading attendance records...

[2009-03-18 15:13:24]1[Head office] Read the records completed, Records: 6 Read successfully: 6

5.1.9. Backup Employees

Download the employee information and employee's fingerprint templates from the machine to the computer. You can edit the employee information in the database Att2003.mdb. The user information is saved in the table "User Info" of the database. And the fingerprint templates information is saved in the folder "Template" in the installation directory.

Click the button [Backup Employees]. Following message box pops up:



Click the button [OK] to confirm or click the button [Cancel] to cancel.

The operation information displays on the main interface as follows:

[2009-03-18 15:15:07]Back upping employees...

[2009-03-18 15:15:07]Backup employee: 1[Head office]

[2009-03-18 15:15:08]1[Head office] Backup employee information completed, Records: 1, Read successfully: 1

[2009-03-18 15:15:08]1[Head office] Backuping fingerprints...

[2009-03-18 15:15:08]1[Head office] Backup employees and fingerprints completed!

Notice: You can stop back upping the employee by click the button on the right bottom corner. Following message box pops up:



Click the button [OK] to confirm or click the button [Cancel] to cancel.

5.1.10. Resume Employees

Upload the employee information and employee's templates from the computer to the terminal.

Click the button [Resume Employees]. Following message box pops up:

Please	confirm
?	This operation will deal with the selected machine: 1[Meadoffice] Are you sure to continue?
	OK Cancel

Click the button [OK] to confirm or click the button [Cancel] to cancel.

Some operation information displays as follows:

[2009-03-18 15:16:37]Get back employees...

[2009-03-18 15:16:37]Get back employees: 1[Head office]

[2009-03-18 15:16:38]1[Head office] Get back employees completed

Notice:

1. Please make sure that the User ID is existent in the terminal device.

[2009-03-19 15:08:07] Get back employees...

[2009-03-19 15:08:07]Get back employees: 1[Head office]

1[Head office] No such ID existed, recovery failed!

2. You can stop recovering the employee by click the button [Stop] on the right bottom corner.

5.2. Record Supervision

Get the records from the terminal real-time.



5.2.1. Activate Real-time

Click the [Activate real-time] button, the status bar shows message: Reading attendance records.

Now the software is beginning to supervise the terminal, and then collect the records every 5 seconds. You can review the record information in the [Real-Time Monitoring Records Information] as follows:

Begin Time	2010-12-17 12:29:24	Check-in Times	0			
End Time		Check-out Times	0			
Emploree Number	0	Other Status Times	0			
Real-Time Monitoring Records Information						

When the employee clock in or out, the value of [Check-in Times] or [Check-out times] will increases one. And the real time record shows.

And the following window which includes the employee ID, Name, Department and Position pops up:



5.2.2. Prohibit real-time

Click the button [Prohibit real-time] to stop the real-time monitoring. You can see the begin time and end time of the real-time monitoring in the [Real-Time Monitoring Records Information] as follows:

Begin Time	2010-12-20 15:32:14	Check-in Times	0	
End Time	2010-12-20 15:32:53	Check-out Times	0	
Emploree Number	3	Other Status Times	0	
Real-Time Monitoring Records Information				

5.3. Employees Management

Employees' management interface is as following:



5.3.1.Add Employee

Click [Add Employee] button, open [Add/modify employee info] window which includes 2 pages: Basic info and fingerprint registration as follows:

Add/Modify E	mployee Info		×
Basic Info			
No.			
Card No.			
Name			
Password			
Sex	▼ ■		
	📸 head office 💌		
Group number			<u> </u>
	Normal User		
Identification Method	Sept		
ID No.		Birthday	1980-01-01 💌
Nation			2011-09-26 💌
Position		Political Feature	
Education		Speciality	<u> </u>
Phone		Mobile	I
Native Place			
Address			
			Save Cancel

[Basic info]: Edit employee's basic information.

No	8001		
Card No.	3396985		
Name	Lizzy		
Password			
Sex	Male 💌		
Dept.	👸 head office 💌		
Group number			Q @ X
User type	Normal User 🗾		
Identification Method	Sept 💌		
ID No.	1	Birthdav	1980-01-01
Nation	•	Employ Date	
Position	•	Political Feature	2011-09-26
Education	•	Speciality	•
Phone		Mobile	
Native Place			
Address			

Notice: The No. is exclusive as well as the first digit cannot be 0! And the administrator's name will show as red color

You can also add pictures for employee. There are two ways to add pictures:

1st way: Click [] button, choose employee's picture stored in PC and open [Edit picture] window as following,



Click the button [View] to choose one photo. And Crop the photo by the [Cut-down] button and then click the button [Save] to save as follows:

	8101				
Card No.	2235	_		(Server)	
Name		_		100 m	8
Password				E.	
Sex	Male	-		0.1	
	👸 Headoffice	-			
Group number		Y		۹ 🧕	×
User type	Normal User	-			
Identification Method	6				
ID No.		_	Birthday	1980-01-01	•
Nation		•	Employ Date	2011-08-24	•
Position		•	Political Feature	Party Member	•
Education		•	Speciality		•
Phone			Mobile		
Native Place		_			
Address					

2nd way: You can install camera to take pictures and edit then save. Make sure there is camera equipment installed in your PC.



Click [2] button, open [Pictures shooting] window as following,



Choose camera equipment, and click the button [Take Pic] to take a photo.

Edit the photo by [Cut-down] function and then click the button [Save] to save.

Click the button [X] to delete the employee photo.

5.3.2. Modify Employee

Modify employee operation is to modify the employee information in the window [Add/Modify employee Info]

5.3.3.Delete Employee

Delete the employee from the database.

Choose employee from employee info list (you can choose some or all the employees by using the button [Shift] or [Ctrl] on your computer's keypad). Click [Delete Employee] to delete the selected employee.

5.3.4. Transfer Department

Choose the employee and then click the button [Transfer Department]. The window [Employee Transfer] pops up:

	Emplor	ee T	ansfer	X
Ple	ase select	the dep	partment:	
	👸 head			_
	328 A 328 F			
	- 88	iales		
	- 🎎 F	%D		
1	01	1	0 1	1
	<u>0</u> K		Cancel	

Select the department and then click the button [OK] to confirm or click the button [Cancel] to cancel.



5.3.5.Set Privilege

We can only upload the employee to the authorized terminal.

Choose the employee from employee info list (you can choose some or all the employee by using the button [Shift] or [Ctrl] on your computer's keypad). Click the button [Set privilege]. The [Set privilege] window pops up:

🔚 Set privilege			X
Group5			
	<u>0</u> K	Cancel	

Choose the terminal and then click the button [OK] to save.

You can find the employee's authorized terminal in the column [Unit] as follows:

Emploree No. 🛛 🖾 Card No.	Name	Sex	Position	Birthday	Employ Date	Phone	Address	1st FP	2nd FP	Unit	
8102	Judy									ր	
8103	Micheal				2010-12-17					1,2	
8108	Lizzy									2	
						Mic	dy's finger heal's fing zy's finge	gerprint i	s in the	e unit 1 and u	ınit2.

5.3.6.Copy Privilege

Copy the privilege from employee A to the employee B. And then the employee B's privilege will be as same as the employee A.

Choose the employees from employee info list (you can choose some or all the employees by using the button [Shift] or [Ctrl] on your computer's keypad). Click the button [Copy Privilege]. The [Copy Function and Privilege] window pops up:

Copy Function and Privile	ge	
Copied Emploree ID		<u>a</u>
0%		
	<u></u> K	Cancel

Input the one employee's ID. And then you can click the button [3] to browse the employee's privilege in the [Set privilege] as follows:



Click the button [Cancel] to exit the [Set privilege]. And then click the button [OK] to confirm or click the button [Cancel] to cancel.

Please	confirm
?	Are you sure to copy the selected emploree's privilege?
	OK Cancel

Click the button [OK] to confirm or click the button [Cancel] to cancel.

System	i prompt 🛛 🛛
2	The Selected emploree's privileges are successfully copied!
	OK

5.3.7. Download Template

Download user template (face or fingerprint) from the terminal to the software.

Choose the employees from employee info list (You can choose some or all the employees by using the button [Shift] or [Ctrl] on your computer's keypad). Click the button [Download Template]. Following message box pops up:



Click the button [OK] to confirm or click the button [Cancel] to cancel.

The operation nformation shows on the main interface as follows:

```
[2013-10-21 17:10:28]Download Template...
[2013-10-21 17:10:28]Download Template2[2]
[2013-10-21 17:10:30]2[2]Template Download Successed!
```

5.3.8.Upload User Template

Upload the employee information and face or fingerprint template to the terminal.

Choose the employees from employee info list (you can choose some or all the employees by using the button [Shift] or [Ctrl] on your computer's keypad). Click the button [Upload User Template]. Following message box pops up:

Please	confirm
?	This operation will deal with the selected machine: 1[Headoffice] Are you sure to continue?
	OK Cancel

Click the button [OK] to confirm or click the button [Cancel] to cancel.

The operation information shows on the main interface as follows:

[2009-03-19 15:10:18]Upload User and User Template...

[2009-03-19 15:10:18]Upload User and user Template: 1[Head office]

[2009-03-19 15:10:19]1[Head office] Upload user and template completed

5.3.9.Delete from Unit

Delete the employees from the terminal via the software.

Choose the employees from employee info list (you can choose some or all the employees by using the button [Shift] or [Ctrl] on your computer's keypad). Click the button [Delete from Unit]. Following message box pops up:

Please	confirm				
?	This operation will deal with the selected machine: 1[Meadoffice] Are you sure to continue?				
	Cancel				

Click the button [OK] to confirm or click the button [Cancel] to cancel.

The operation information shows on the main interface as follows:

[2009-03-19 15:11:21]Delete the employee from the device...

[2009-03-19 15:11:21]Delete the employee from the device: 1[Head office] [2009-03-19 15:11:22]1[Head office] Delete the employee from the device completely

5.3.10. Checking Employee

Search the employee information.

Emploree ID		
Emploree Name		
Terminal		Check Emploree
	Emploree Checking	

Search the employee information by Employee ID, Employee Name and Terminal. Click [Check Employee] button to check the employee's information.

5.3.11. Department Management

Move the cursor to the department list and then click the right button of your mouse.

The menu pops up as follows:



[Add dept.]

Click [Add dept.]. The [Input Department Name] window pops up:

📕 Input Department 🛛	lane		×
Please Input Department N	ame: <u> </u>	<u>C</u> ancel]

Input the department name. Click the button [OK] to confirm or click the button [Cancel] to cancel.

[Modify dept.]

Choose the department which is going to be modified. Click [Modify dept.]. The [Input Department Name] window pops up:

🔚 Input Department	Name		×
Please Input Department N	lame:		
Structure			
	<u>0</u> K	Cancel	

Input the department name. Click the button [OK] to confirm or click the button [Cancel] to cancel.

[Delete dept.]

Choose the department which is going to be deleted. Click the right button of your mouse and then click the [Delete dept.]. Following message box pops up:



Click the button [OK] to confirm or click the button [Cancel] to cancel.

Remark: Right button menu:

٢	Select All					
\odot	Cancel Seletion					
3	Transfer Department					
Ē₽)	Copy Privilege					
8	Add Emploree					
8	Modify Emploree					
}	Delete Emploree					

5.4. Record Management



5.4.1.Record Search

🔽 Begin Date	Fri 12/17/2010	-	\bigcirc
🔽 End date	Fri 12/17/2010	-	Search
	Record Search		record

Set the Begin Date and End Date as follows:

4		De	cem	ber	20	10		۲
	S	M	Т	W	Т	F	S	
	28	29	30	1	2	3	4	
	5					10		
	12	13	14	15	16	17	18	
	19	20	21	22	23	24	25	
	26	27	28	29	30	31	1	
	2	3	4	5	6	7	8	
			T	oda	y			

Click the button [Search record] to search the record.

	No. 🛆	Name	Date/Time	Status	Status Description	Unit No.	Unit S/N
۲	379	Peter	3/20/2009 10:28:10 AM	I	In	1	300
	386	Jack	3/20/2009 10:28:31 AM	I	In	1	300
	387	May	3/20/2009 10:28:34 AM	I	In	1	300

5.4.2 Export Record

Set the export format, export file and time format.

Export Format	Text file (*. txt)	- 1	Emploree No.	Length	6	
Export Field	No.;Date/Time;Unit No.;Status 🕓	•	Space	symbol	, –	
Time format	yyyymmmmdd hhimmiss	- 3	Space symbol	Length	1	Export record
Export Record						

Export format: 3 formats optional: text file (.txt), CSV file (.csv), Excel files (.xls).

Text file(*.txt)
CSV file(*.csv)
Excel file (*.xls)

Export field: Choose the fields which are useful for you.

✓ No.
 Name
 ✓ Date/Time
 ✓ Unit No.
 Unit name
 ✓ Status
 Status Name
 Department
 Position

Time format: 4 optional formats

yyyymmmmdd hhimmiss	
yyyy-m-d hh:mm:ss	
yy-mm-dd hh:mm:ss	
yyyymmddhhmmss	

Employee No. length: Set employee No. length, the default is 6 digits.

Space symbol: Space symbol to separate fields

Space symbol length: Space symbol bit

After setting completed, click [Export record] button, open [Save as] window, choose save file directory, input file name, click [Save] button. The system prompts as follow:

System	prompt 🔀	
2	Records have been exported to " $E:\Test\Report\RQ-Rep. txt$ "	
	OK	

Click the button [OK] to confirm.

5.5. U Disk Management Program

U disk management program use for load the data from USB flash disk to database.

Read the attendance record from USB flash driver, must make sure all data store under root directory in the USB flash driver first.

The shows as following:



Engl	lish ← 🚽 ╤ Comm	unication Management Softwa	are V4.0.4	
Device Manager	ment Record Supervision	Employees Management	Record Management	U Disk Management
U Disk J:\ 👻				
	ad Records			
U Disk Manageme	om U Disk ent			
 → All Groups → Group1 → Group2 → Group3 → Group4 → Group5 	2[2]			
The employee ID in this record The employee ID in this record	d is not existent! 5 2013-10-17 09 is not existent! 6 2013-10-17 10 is n	157:48 158:00 158:15 158:15 158:28 158:34 158:37 158:53 158:55 158:55 158:55 159:02 100:54 101:02 101:08		E
Delete the employee from the o	deviece completed	100	*	Stop .;;

Read Records from the U flash disk: First click [Find U Disk] to fine the path of the USB flash disk, click [Read Records from the U disk] the system will auto read the data from U disk and export to local database.

Notice: If the local database has had this record already, the system will prompt "record repeated".

5.6. System Settings

Click the icon [i] on the top left corner, the menu pops up as follows:

Basic Parameter Setting
T&A state Setting
Timing Downloading Record
Tanagement PT setting
🎁 Database linking setting
Rexit system

5.6.1. Basic Parameter Settings

Click the [Basic Parameter Setting]. The [Basic Parameter Setting] pops up:

Basic Parameter Setting	×
Basic Parameter	
Com Port Communication delay time(1-10) Seconds	10
Network Communication delay time(1-20) Seconds	20
IP Port	5010
FacePass NTP-SERVER IP	216.171.120.36
Communication Failed, Automatically Exit Current Operation	
🔲 In Realtime Monitoring, Voice prompts "Department Name"	
Clear the data after downloading	
	<u>C</u> ancel

Com port Communication delay time (1-5) sec.: The default time is 3s.

Network Communication delay time (1-20) sec.: The default time is 5s.

IP Port: Communication port;

FacePass NTP-Server IP: IP address of the device;

□ Communication failed, automatically exit current operation: If timeout is larger than 'Communication delay time', software will automatically exit.

□ In Real-time Monitoring, voice prompts "Department name": During real-time monitor, if employee is access granted, the software will voice prompt employee department and name.

□ Clear the data after downloading: After downloading records completed, delete the record downloaded from machine automatically.

Click the button [OK] to save the setting.

5.6.2.T&A Status Setting

Click the [T&A Status setting] option, and the [T&A status setting] window pops up:

Status value	Symbol	Status Descriprion	
0	1	In	
1	0	Out	
2	2	2	
3	3	3	
4	4	4	
5	5	5	
-	6	6	
7	7	7	
8	8	8	
	9	9	
10	10	10	
11	11	11	
12	12	12	
	13	13	
	14	14	
15	15	15	
15	15	15	

Click the state which is going to be modified. Input the status description.

[Upload to the selected terminal]: Upload the T&A status from the selected terminal.

5.6.3. Timing Downloading Record

Click the [Timing Downloading Record]. The [Timing Downloading Record] window pops up:

Run Timing Downloading Record	
Downloading Time:	
Time: 00:00 + Add	Delete Time

Enable this function by choosing the [Run Timing Download Record]. You can set 5 time point.

Please use the button [1] to set a time. And then click the button [Add] to add the time to the [Downloading Time].

Click the button [OK] to save the setting.

5.6.4. Management PW Setting

Click the [Management PW Setting]. The [Modify management password] window pops up:

📕 Nodify managem	ent password	×
Old Pwd: New Pwd: Comfirm Pwd:	QKCancel	

[Old password]: Default password is empty.

If user has modified password, please input this password which is used to log on system. If it's wrong, system will prompt,

System	prompt	X
2	The old password is incorrect, please enter the password a	gain!
	OK	

Click [OK] and input old password again.

[New Pwd]: the password user wants to set.

[Confirm Pwd]: Input new password again to confirm.

If confirm Pwd is different from new one, system will prompt:

System	prompt 🔀
2	Confirmation failed please enter the new password again!
	OK

Click [OK] button to input confirm password again.

After modifying completed, click [OK] button to save new password and it prompts:



5.6.5. Database Linking Setting

Click the [Database linking setting]. The [Data Link Properties] window pops up:

🖶 Data Link Properties				
Provider Connection Advanced All				
Specify the following to connect to Access data:				
1. Select or enter a database name:				
E:\Test\0A3000\Att\Att2003.mdb				
2. Enter information to log on to the database::				
Username: Admin				
Password:				
Blank password Allow saving password				
Test Connection				
Test connection				
OK Cancel Help				

Click []] button beside [1. Select or enter a database name:] to choose the linking database directory. And then choose database name, click [Open] button to confirm database linking and exit to [Data link properties] interface. If the database has set [User name] and [password] already, we must input [User name] and [password] in [2. Enter information to log on to the database]. After completed, click [Test connection] to test the connection correctness of the database and system prompts:

Ticrosoft	Data Link	
🕐 Test	connection	succeeded.
	OK	

Click [OK] button and it goes back to [Data link properties] interface. Click [OK] button and system prompts,



5.6.6.Exit System

Click [Exit system]. It is the prompts:



Click the button [OK] to confirm or click the button [Cancel] to cancel.

5.7. User Interface Configuration

5.7.1.Interface Skin Color

Shift the skin color by press the button [[]]. Follow the Windows XP system style.

5.7.2. Change the Software Language



Choose the language in the option [

5.7.3.Set Quick Access Button

Move the cursor to the icon [Synchronize time]. Click the mouse's right button. It prompts:



Click the item [Add to Quick Access Toolbar]. And then you can see the quick access button on the toolbar as follows:



Move the cursor to the quick access button. And then click the mouse's right button. It prompts:

English			- <u>@</u>]		ication Manage		e-V4.0.4		
	Device M	anagement	ent Record Supervision Employees management U Disk Management U Disk Management				Management		
				0					
Add Device	Modify Device	Delete Device	Synchronize time	Device parameter	Download new record	Download all record	Backup Employees	Resume Employees	
Devices Managment			Device Management						

Click the item "Remove from the Quick Access Toolbar".

6. FAQ

6.1. Fingerprint has enrolled but often gets failure in identification.

Reason	Solution
1. The fingerprint was not captured properly.	Enroll the finger again. Please refer to illustration of pressing finger.
2. Direct sun light or too bright light.	Avoid direct sun light or other bright light.
3. Too dry finger.	Touch the forehead to increase oily level of the finger.
4. Too wet finger with oil or cosmetics.	Clean fingers with towel.
5. Low fingerprint quality with callus or peeling.	Enroll other fingers with better quality.
6. Wrong way in placing fingers when punching in/out.	Please refer to illustration of pressing finger.
7. Latent fingerprint on the surface of sensor.	Clean sensor surface (Adhesive tapes recommended).
8. Not enough finger pressure.	Place the finger evenly on the sensor with moderate pressure.
9. Influence by fingerprint image change.	Enroll fingerprint again. Please refer to illustration of pressing finger.
10. Fingerprint not enrolled yet.	Place enrolled finger.

6.2. <u>The machine cannot connect with PC.</u>

Reason	Solution
1. Communication method not set correctly.	Select the correct communication method.
2. Cable not plugged firmly or cable hardware problem.	Plug the cable firmly or change another cable.
3. Not able to connect COM (wrong COM No.).	Please enter the right COM No.
4. Not able to connect TCP/IP (wrong setting).	Refer to the manual for connecting Time Attendance terminal.



6.3. No records found though employee has clocked in/out.

Reason	Solution	
1. Unit power break for a long time (time turn to zero as default).	Synchronize the time.	
2. Minority employee fingerprint false accepted.	 Add records manually. Adjust fingerprint matching precision. Change another finger and enroll again. 	

6.4. FP Scanner off

Clock's time works fine, but FP scanner is off, employee cannot attendance

Reason	Solution		
1. Unit in dormancy status.	Press any key to activate.		
2. Fingerprint scanner abnormal.	Restart the machine or change the fingerprint module.		

6.5. We do not use the ID + fingerprint mode to verify.

Reason	Solution
1. Wrong ID entered.	Enter the right ID.
2. This user has no right to use 1:1 identification method.	Set 1:1 identification method for this user.

6.6. The unit beeps automatically when no one punches in/out.

Reason	Solution
1. Direct sun light or too bright light.	Avoid direct sun light or other bright light.
2. Latent fingerprint on the surface of sensor.	Clean sensor surface (Adhesive tapes recommended).

Note: If you have any other problems, please kindly email us the log files in zip or rar (The log files are in Log directory in the installation directory of the software)!