### 1. Packing list



## 2. Installation Diagram&Installation Step



# ① Fix back board.connect with the ② Fix the device from the bottom

## •M• Enroll Network

Ethernet	
Option	า
Retriev	ve IP mode
Get DN	15
Device	e IP
Subne	t mask
Gatew	ay
10-18-2017 10:43:45	

# Go to User\Add menu.Follow the menu to

## Ethernet Settings



## 3. Operation Guide

#### Basic settings 10:43 Tue 10-18-2017 Password Press finger Plug in the power supply and wait for Press [M] key to go to Admin menu.Input "0"as ID the device boot up. and "12345"as password to log in. \*0/12345 is the default Admin ID and password. You can change to your own the password or set other user as Admin later. Volume Maual Admin PIN Code 12345 e format 🛛 🛋 24 hr 🔹 🕨 Web port 80 ta format 🛛 🛋 MM-DD-YY 🕨 Factory Reset Browser the Setting/Device menu to Go to Setting/Time menu to set up date view or edit the Device ID and Admin PIN and time.

Code.



## Add Users to Device

📀 Card Dept 🔺 hqtrs 🕨 🜔 Mode

> input ID .name and password.Move the cursor to "card" section and click [OK] key.



## 

C5/C5C

Fingerprint & RFID Access Control Device with Colorful Screen

## Quick Guide v2.1



C5



www.anviz.com



area, and the device will get the card number, and then move the cursor to "Enroll FP" section and click [OK] key.

the fingerprint.



## 4. Verity the Fingerprint





Place finger flatly and smoothly on the sensor.

Incorrect method:







Finger not placed on the center of the sensor.

Finger placed inclined.

Use of fingertip.

\* NOTE:

- It is better for each user to register two fingerprints in case of one finger can't work.
- <sup>③</sup> Place Finger flat and make sure the center of the finger is on the center of scanner window and press a little hard on scanner, so it can scan as large finger area as possible to extract enough minutia.
- Image: See the angle and direction of finger the same each time placing on scanner.
- If your finger has sweat or water, please dry it first and then register the finger.
- <sup>©</sup> If your finger is too dry, make it a little wet or touch the forehead to increase the wetness of the finger, press a little hard on scanner . (The dry finger can cause the finger image not coming out clear enough.)
- Avoid the callus, peeling, orinjury of the finger to ensure the register and identification successful
- You can register the thumb first, and then index finger or middle finger to increase the precision.

### 5. Wiring instruction



## 6. C5/C5C & Switching Power Supply



## 7. C5/C5C & Access Control Power Supply



## 8. C5/C5C & Anviz SC011

SCO11 can work with C5 by Anviz encrypt Wiegand code authorized to set up a distributed access control system. Wiegand mode must be set to 'AnvizWiegand' by PC software. You can buy SCO11 from our sales.



#### A Important notice:

Please follow the wiring diagram as it is displayed. Damaged products due to improper wiring are not covered under the product warranty.

## 9. Working with Management Software



## Method: RS485



Install the Management Software on Computer

Put the CD in the management computer. The installation program will run automatically.

How to connect the Device with Software?

Connect Cable between device and PC which has installed software.



② Enable Communication between Device and the Management Software CrossChex

- Turn on management software CrossChex.
- Go to Device tab.Search and Add the device to management software CrossChex.
- . Click Synchronize Time button to communicate with Device. IF Synchronize is successful,the device icon will turn to blue.

### ③ The Management Software CrossChex Features

- Device\Backup User :Download user info from Device to CrossChex.
- Device\Download Records: Download records from Device to CrossChex.
- User\Modify:Edit name or other user info.Then click "Upload User" to Upload user info to device.
- Record\Search:Search and view the records.
- Attendance:Calculate,Search results and Generate reports.
- Data\Backup Database:Backup Database.
- Setting\Shift:Set up Time Table and Scheduling.
- Device\Device Parameter:Set up device.Clear records on Device or Reset Device to factory settings.

Any questions?Please feel free to send emails to support@anviz.com to get support.